

Richard A. Smith
Marc Zemel
SMITH & LOWNEY, PLLC
2317 East John Street
Seattle, Washington 98112
(206) 860-2883

Attorneys for Plaintiff

UNITED STATES DISTRICT COURT
WESTERN DISTRICT OF WASHINGTON
AT SEATTLE

PUGET SOUNDKEEPER ALLIANCE,)	
)	No. 2:14-00476-JCC
Plaintiff,)	
v.)	FIRST AMENDED COMPLAINT
)	
CRUISE TERMINALS OF AMERICA,)	
LLC;)	
)	
and,)	
)	
PORT OF SEATTLE;)	
)	
Defendants.)	
_____)	

I. INTRODUCTION

1. This action is a citizen suit brought under Section 505 of the Clean Water Act (“CWA”) as amended, 33 U.S.C. § 1365. Plaintiff Puget Soundkeeper Alliance seeks a declaratory judgment, injunctive relief, the imposition of civil penalties, and the award of costs, including attorneys’ and expert witnesses’ fees, for defendants Cruise Terminals of America LLC’s (“Cruise Terminals”) and the Port of Seattle (the “Port”), repeated and ongoing violations

1 of Section 301(a) of the CWA, 33 U.S.C. § 1311(a), specifically, the discharge of pollutants,
2 including stormwater associated with industrial activity, to navigable waters via point source
3 without authorization by a National Pollutant Discharge Elimination System (“NPDES”) permit
4 issued under Section 402, 33 U.S.C. § 1342.

5 **II. JURISDICTION AND VENUE**

6
7 2. The Court has subject matter jurisdiction under Section 505(a) of the CWA, 33
8 U.S.C. § 1365(a). The relief requested herein is authorized by 33 U.S.C. §§ 1319(d) and
9 1365(a).

10
11 3. Under Section 505 (b)(1)(A) of the CWA, 33 U.S.C. § 1365(b)(1)(A), Plaintiff
12 notified Cruise Terminals of Cruise Terminal’s violations of the CWA and of Plaintiff’s intent to
13 sue under the CWA by letter dated January 6, 2014 and delivered January 16, 2014 (“CTA
14 Notice Letter”). A copy of the CTA Notice Letter is attached to this complaint as Exhibit 1. The
15 allegations in the CTA Notice Letter are incorporated herein by this reference. Plaintiff notified
16 Cruise Terminal’s Registered Agent, the Administrator of the United States Environmental
17 Protection Agency (“USEPA”), the Administrator of USEPA Region 10, and the Director of the
18 Washington Department of Ecology (“WDOE”) of its intent to sue Cruise Terminals by mailing
19 copies of the CTA Notice Letter to these officials on January 6, 2014.

20
21
22 4. Under Section 505 (b)(1)(A) of the CWA, 33 U.S.C. § 1365(b)(1)(A), Plaintiff
23 notified the Port of the Port’s violations of the CWA and of Plaintiff’s intent to sue under the
24 CWA by letter dated June 12, 2014 (“Port Notice Letter”). A copy of the Port Notice Letter is
25 attached to this complaint as Exhibit 2. The allegations in the Port Notice Letter are incorporated
26 herein by this reference. Plaintiff notified the Port’s CEO, the Port’s Managing Director of its
27 Seaport Division, the Administrator of the United States Environmental Protection Agency
28

1 (“USEPA”), the Administrator of USEPA Region 10, and the Director of the Washington
2 Department of Ecology (“WDOE”) of its intent to sue the Port by mailing copies of the Port
3 Notice Letter to these officials on June 12, 2014.

4 5. More than sixty days have passed since the notice letters were served and the
5 violations complained of in the notice letters identified below are continuing or are reasonably
6 likely to continue to occur. Defendants are in violation of the CWA. No agency has commenced
7 any action constituting diligent prosecution to redress these violations.
8

9 6. The source of the violations complained of is located in King County,
10 Washington, within the Western District of Washington, and venue is therefore appropriate in
11 the Western District of Washington pursuant to Section 505(c)(1) of the CWA, 33 U.S.C. §
12 1365(c)(1).
13

14 III. PARTIES

15 7. Plaintiff, Puget Soundkeeper Alliance (“Soundkeeper”), is suing on behalf of
16 itself and its member(s). Soundkeeper is a non-profit corporation registered in the State of
17 Washington. Soundkeeper is a membership organization and has at least one member who is
18 injured by Defendants’ violations. Soundkeeper is dedicated to protecting and preserving the
19 environment of Washington State, especially the quality of its waters.
20

21 8. Plaintiff has representational standing to bring this action. Soundkeeper’s
22 members are reasonably concerned about the effects of discharges of pollutants, including
23 stormwater from Defendants’ facility, on aquatic species and wildlife that Plaintiff’s members
24 observe, study, and enjoy. Soundkeeper’s members are further concerned about the effects of
25 discharges from Defendants’ facility on human health. In addition, discharges from Defendants’
26 facility lessen Soundkeeper’s members’ aesthetic enjoyment of nearby areas. Soundkeeper’s
27
28

1 members' concerns about the effects of Defendants' discharges are aggravated by Defendants'
2 failure to record and report information about its discharges and pollution controls. The
3 recreational, scientific, economic, aesthetic, spiritual and/or health interests of Soundkeeper and
4 its member(s) have been, are being, and will be adversely affected by Defendants' violations of
5 the CWA. The relief sought in this lawsuit can redress the injuries to these interests.
6

7 9. Plaintiff has organizational standing to bring this action. Plaintiff has been
8 actively engaged in a variety of educational, advocacy, and restoration efforts to improve water
9 quality and to address sources of water quality degradation in the waters of western Washington,
10 including Elliott Bay and Puget Sound. Defendants have failed to fulfill monitoring,
11 recordkeeping, reporting and planning requirements, among others, necessary for compliance
12 with an NPDES permit and the CWA. As a result, Plaintiff is deprived of information necessary
13 to properly serve its members by providing information and taking appropriate action to advance
14 its mission. Plaintiff's efforts to educate and advocate for greater environmental protection, and
15 to ensure the success of environmental restoration projects implemented for the benefit of its
16 members are also precluded. Finally, Plaintiff and the public are deprived of information that
17 influences members of the public to become members of Soundkeeper, thereby reducing
18 Soundkeeper's membership numbers. Thus, Plaintiff's organizational interests have been
19 adversely affected by Defendants' violations. These injuries are fairly traceable to Defendants'
20 violations and redressable by the Court.
21
22

23
24 10. Defendant Cruise Terminals is a corporation authorized to conduct business in the
25 State of Washington.
26

27 11. Defendant Port of Seattle is an organization of state government under the state
28 laws governing ports or port districts.
29

1 12. Defendant Cruise Terminals leases and operates a cruise ship terminal facility
2 located at or about Pier 66, 2225 Alaskan Way, Seattle, WA 98121 (the “facility”).

3 13. Defendant Port of Seattle is the owner of the facility.

4 **IV. LEGAL & FACTUAL BACKGROUND**

5 14. Section 301(a) of the CWA, 33 U.S.C. § 1311(a), prohibits the discharge of
6 pollutants by any person, unless in compliance with the provisions of the CWA. Section 301(a)
7 prohibits, inter alia, such discharges not authorized by, or in violation of, the terms of a NPDES
8 permit issued pursuant to Section 402 of the CWA, 33 U.S.C. § 1342.

9 15. The State of Washington has established a federally approved state NPDES
10 program administered by the Washington Department of Ecology (WDOE). Wash. Rev. Code §
11 90.48.260; Wash. Admin. Code ch. 173-220. This program was approved by the Administrator
12 of the USEPA pursuant to 33 U.S.C. § 1342(b).

13 16. Pursuant to Section 402(a) of the CWA, 33 U.S.C. § 1342(a), the WDOE has
14 repeatedly issued the Industrial Stormwater General Permit (the “General Permit”), most recently
15 on October 21, 2009, modified May 16, 2012 (the “2010 Permit”). The General Permit, in its
16 various iterations since its first issuance in 1993 containing comparable requirements, authorizes
17 those that obtain coverage under the General Permit to discharge stormwater associated with
18 industrial activity, a pollutant under the CWA, and other pollutants contained in the stormwater
19 to the waters of the State subject to certain terms and conditions.

20 17. The General Permit imposes certain terms and conditions on those covered
21 thereby, including monitoring and sampling of discharges, reporting and recordkeeping
22 requirements, as well as restrictions on the quality of stormwater discharges. To reduce and
23 eliminate pollutant concentrations in stormwater discharges, the General Permit requires, among

1 other things, that permittees develop and implement best management practices and a
2 Stormwater Pollution Prevention Plan, and apply all known and reasonable methods of
3 prevention, control, and treatment to discharges.

4 18. Defendants' facility is engaged in industrial activities as a water transportation
5 facility, including vehicle maintenance, such as fueling, lubrication, painting, cleaning, repairing,
6 and related support activities, among others, which constitute a "vehicle maintenance shop" or
7 "equipment cleaning operations" under 40 C.F.R. § 122.26(b)(14)(viii).

8 19. As owner of the facility, the Port is liable under the CWA for the violations at the
9 facility alleged in this First Amended Complaint. The Port also exercises sufficient control over
10 the industrial activities at the facility to make it liable under the Clean Water Act for the
11 violations at the facility alleged in this First Amended Complaint.

12 20. The Port has the power and capacity to make timely discovery of discharges at the
13 facility, direct the activities of those who control the mechanisms causing the pollution at the
14 facility, and prevent and abate damage associated with the discharges.

15 21. Defendants' facility discharges stormwater and other pollutants via point source,
16 including pipes, drains, other stormwater facilities and conveyances, and the facility itself, to
17 Elliott Bay, which is a part of Puget Sound. These waters are "navigable waters" under the
18 Clean Water Act.

19 22. Defendants have not monitored or sampled discharges of stormwater and other
20 pollutants from their facility and reported the results to WDOE.

21 23. Defendants have not developed and implemented best management practices and
22 a complete Stormwater Pollution Prevention Plan, nor applied all known and reasonable methods
23 of prevention, control, and treatment to discharges from their facility.

1 24. Discharges from Defendants' facility contribute to the polluted conditions of
2 navigable waters, including Elliott Bay and Puget Sound. Elliott Bay is listed on WDOE's
3 303(d) list of waterbodies impaired by bacteria, PCBs and 2,3,7,8-TCDDs. Discharges from
4 Defendants' facility contribute to the ecological impacts that result from the polluted state of
5 these waters, and to Plaintiff's and its members' injuries resulting therefrom.
6

7 25. The vicinity of Defendants' facility and the receiving waters are used by the
8 citizens of Washington and visitors, as well as at least one of Plaintiff's members, for
9 recreational activities, including boating, biking, fishing, and bird watching, and educational and
10 scientific activities, including environmental restoration monitoring. Plaintiff's member(s) also
11 derive(s) aesthetic benefits from the receiving waters. Plaintiff's and its members' enjoyment of
12 these activities and waters is diminished by the polluted state of the receiving waters and by
13 Defendants' contributions to such polluted state.
14

15 26. A significant penalty should be imposed against both defendants pursuant to the
16 penalty factors set forth in 33 U.S.C. § 1319(d).
17

18 27. Defendants have benefited economically as a consequence of their violations.

19 28. Defendants' violations were avoidable had Defendants been diligent in overseeing
20 facility operations and maintenance.
21

22 **V. CAUSE OF ACTION**

23 29. The preceding paragraphs and the allegations in the Notice Letters, attached
24 hereto as Exhibits 1 and 2, are incorporated herein.

25 30. Defendants' violations described herein and in the Notice Letters, constitute
26 violations of Section 301 of the Clean Water Act, 33 U.S.C. § 1311, and violations of "effluent
27 standard(s) or limitation(s)" as defined by Section 505, 33 U.S.C. § 1365.
28

1 with copies of all reports and other documents which Defendants submit to the USEPA or to the
2 WDOE regarding Defendants' coverage under any NPDES permit at the time it is submitted to
3 these authorities;

4 F. Order Defendants to take specific actions to remediate the environmental harm
5 caused by their violations;

6 G. Order each Defendant to pay civil penalties of \$37,500.00 per day of violation for
7 each violation committed by each Defendant pursuant to Sections 309(d) and 505(a) of the
8 CWA, 33 U.S.C. §§ 1319(d) and 1365(a), and 40 C.F.R. § 19;

9 H. Award Plaintiff their litigation expenses, including reasonable attorneys' and
10 expert witness fees, as authorized by Section 505(d) of the CWA, 33 U.S.C. § 1365(d), for which
11 each Defendant is jointly and severally liable; and
12

13 I. Award such other relief as this Court deems appropriate.
14

15
16 RESPECTFULLY SUBMITTED this 22nd day of September, 2014.

17 **SMITH & LOWNEY, PLLC**

18
19 By: /s/ Richard A. Smith
20 Richard A. Smith, WSBA No. 21788
21 By: /s/ Marc Zemel
22 Marc Zemel, WSBA No. 44325
23 Attorneys for Plaintiff
24 2317 E. John St.
25 Seattle, WA 98112
26 Tel: (206) 860-2883
27 Fax: (206) 860-4187
28 E-mail: rasmithwa@igc.org, marcz@igc.org

EXHIBIT 1

SMITH & LOWNEY, P.L.L.C.

2317 EAST JOHN STREET
SEATTLE, WASHINGTON 98112
(206) 860-2883, FAX (206) 860-4187

January 6, 2014

Via Certified Mail - Return Receipt Requested

Managing Agent
Cruise Terminals of America, LLC
2225 Alaskan Way, Suite 103
Seattle, WA 98121

Re: NOTICE OF INTENT TO SUE UNDER THE CLEAN WATER ACT

Dear Managing Agent:

We represent Puget Soundkeeper Alliance (“Soundkeeper”), 5305 Shilshole Ave. NW, Suite 150, Seattle, WA 98107, (206) 297-7002. Any response or correspondence related to this matter should be directed to us at the letterhead address. This letter is to provide you with sixty days notice of Soundkeeper’s intent to file a citizen suit against Cruise Terminals of America, LLC (“Cruise Terminals”) under section 505 of the Clean Water Act (“CWA”), 33 USC § 1365, for the violations described below.

I. Unpermitted Discharges

The CWA, 33 U.S.C. §§ 1311 and 1342, prohibits the discharge of pollutants, including stormwater associated with industrial activity, to waters of the United States, except as authorized by a National Pollutant Discharge Elimination System (“NPDES”) permit. Cruise Terminals has violated and continues to violate Section 301(a) of the CWA, 33 U.S.C. § 1311(a), by discharging pollutants from its water transportation facility located at or about Pier 66, 2225 Alaskan Way, Seattle, WA 98121 (the “facility” or “site”) to waters of the United States without a NPDES permit. The facility subject to this notice includes any contiguous or adjacent properties owned or operated by Cruise Terminals of America, LLC.

Cruise Terminals discharges industrial stormwater and pollutants to Elliott Bay and Puget Sound directly and/or via a stormwater drainage system. On information and belief these pollutants include turbidity, suspended and dissolved solids, oxygen demanding substances, non-neutral pH, hydrocarbons, and metals, including copper and zinc. These violations of the CWA have occurred on each day from January 1, 2009, through the present during which there was a stormwater discharge from the facility, generally including days on which there has been at least 0.1 inch of precipitation, and continue to occur. Precipitation data from King County International Airport (BFI) identifying such days is appended to this notice of intent to sue. The violations alleged in this notice of intent to sue will continue until Cruise Terminals obtains and comes into compliance with a NPDES permit authorizing such discharges.

II. Industrial Stormwater General Permit requirements

The Washington Department of Ecology (“Ecology”) authorizes discharges of stormwater associated with certain industrial activities under the Industrial Stormwater General Permit, including stormwater discharged from transportation facilities with vehicle maintenance activity. The site is a water transportation facility where mobile fueling and other maintenance activities occur. Stormwater and pollutants discharged from the site are “stormwater discharges associated with industrial activity” subject to the 33 U.S.C. § 1311(a) prohibition on discharges of pollutants without NPDES permit authorization. *See also*, 33 U.S.C. §1342(p) and 40 C.F.R. § 122.26(a), (b)(14), and (c). The current Industrial Stormwater General Permit (“2010 Permit”) was issued by Ecology on October 21, 2009, with an effective date of January 1, 2010, and modified May 16, 2012, effective July 1, 2012. The previous Industrial Stormwater General Permit issued by Ecology on August 21, 2002, effective on September 20, 2002, modified on December 1, 2004, effective January 14, 2005, expiring September 20, 2007, reissued August 15, 2007, effective September 15, 2007, reissued again on October 15, 2008, effective November 15, 2008, expiring April 30, 2009, but remaining effective through December 31, 2009 (“2005 Permit”). The 2010 Permit includes conditions substantially similar to those of the 2005 Permit.

Should Cruise Terminals have or obtain 2010 Permit coverage for the facility, compliance with the 2010 Permit requires Cruise Terminals to correct the deficiencies identified below. Soundkeeper hereby provides notice of its intent to sue for these violations of the 2010 Permit.

1. Compliance with standards.

Condition S10.C. of the 2010 Permit requires permittees to apply all known and reasonable methods of prevention, control and treatment (“AKART”) to all discharges, including preparation and implementation of an adequate stormwater pollution prevention plan (“SWPPP”) and best management practices (“BMPs”). On information and belief, Cruise Terminals has not applied AKART to its discharges or implemented adequate BMPs at the facility, including structural source control BMPs to minimize the exposure of pollutants to precipitation, and stormwater treatment BMPs to remove pollutants prior to discharge.

2. Stormwater Pollution Prevention Plan

Condition S3.A.1. of the 2010 Permit requires permittees to develop and implement a SWPPP as specified. S3.A.2. specifies that the SWPPP must indicate the BMPs necessary to provide AKART and ensure that discharges do not cause or contribute to violations of water quality standards. On information and belief, Cruise Terminals has not prepared and implemented a SWPPP that specifies AKART and ensures discharges do not cause or contribute to violations of water quality standards.

Condition S3.A.3.a. of the 2010 Permit requires that BMPs in a permittee’s SWPPP be consistent with the Stormwater Management Manual for Western Washington (2005 edition) (“SWMMWW”), which is available on the internet at <http://www.ecy.wa.gov/>

programs/wq/stormwater/manual.html. Alternatively, the SWPPP must include documentation that the BMPs included therein are demonstratively equivalent to those described in the SWMMWW, including proper selection, implementation and maintenance. On information and belief, Cruise Terminals has not prepared and is not implementing a SWPPP that is consistent with this manual or that is demonstratively equivalent thereto, including the housekeeping and other operational BMPs, the structural source control BMPs, and the stormwater treatment BMPs identified in the SWMMWW.

Condition S3.B.4.b. of the 2010 Permit identifies mandatory BMPs that must be included in the SWPPP and implemented, unless the permittee clearly justifies why each omitted mandatory BMP is unnecessary, infeasible, or replaced by alternative and equally effective BMPs. On information and belief, Cruise Terminals is not implementing several BMPs identified in the 2010 Permit, including preventive maintenance BMPs to maintain the stormwater drainage systems, including a schedule or frequency for each maintenance task (S3.B.4.b.3.), having a spill prevention and emergency cleanup plan (S3.B.4.b.i.4.), provisions for employee training, including a training log (S3.B.4.b.i.5.), provisions for facility inspections, regular compliance certification, and recordkeeping (S3.B.4.b.i.6.), adequate measures to identify and eliminate the discharge of process wastewater (S3.B.4.b.i.7.), the “applicable” BMPs from the SWMMWW (S3.B.4.b.ii.1.), and location of industrial materials and activities inside or protecting them with storm resistant coverings (S3.B.4.b.ii.2.).

3. Monitoring

Condition S4.B.2. of the 2010 Permit requires permittees to sample quarterly each distinct point of discharge off-site except as otherwise exempt from monitoring as a “substantially identical outfall” per 2010 Permit Condition S3.B.5.b. Condition S4.B.3. of the 2010 Permit requires permittees to record and retain specified information about each stormwater sample taken, including a notation describing if they collected the sample within the first 12 hours of stormwater discharge events and, if not, an explanation why not. Condition S4.A. and B. of the 2010 Permit require permittees to collect stormwater samples no less than once per quarter. Condition S4. of the 2005 Permit included a substantially similar sample collection requirement. Condition S9.A. of the 2010 Permit requires permittees to report results of analysis of these samples to Ecology on specified forms (Discharge Monitoring Reports, or “DMRs”) on a specified schedule. Condition S5.A. of the 2005 Permit included a substantially similar requirement. Cruise Terminals has not collected stormwater discharge samples and/or reported the results to Ecology on DMRs.

III. Conclusion

The above-described violations reflect those indicated by the information currently available to Soundkeeper. These violations are ongoing. Soundkeeper intends to sue for all violations, including those yet to be uncovered and those committed after the date of this notice of intent to sue.

Under Section 309(d) of the CWA, 33 USC § 1319(d), each of the above-described violations subjects the violator to a penalty of up to \$32,500 per day for each violation before

and through January 12, 2009 and up to \$37,500 per day for each violation thereafter. In addition to civil penalties, Soundkeeper will seek injunctive relief to prevent further violations under Sections 505(a) and (d) of the CWA, 33 USC § 1365(a) and (d), and such other relief as is permitted by law. Section 505(d) of the CWA, 33 USC § 1365(d), also permits prevailing parties to recover costs, including attorney's fees.

Soundkeeper believes that this NOTICE OF INTENT TO SUE sufficiently states grounds for filing suit. We intend, at the close of the 60-day notice period, or shortly thereafter, to file a citizen suit against Cruise Terminals of America, LLC under Section 505(a) of the Clean Water Act for violations. During the 60-day notice period, we would be willing to discuss effective remedies for the violations addressed in this letter and settlement terms, however; we do not intend to delay the filing of a complaint if discussions are continuing when the notice period ends. To initiate those discussions you may contact us by phone or mail (see letterhead), or by e-mail at marcz@igc.org.

Sincerely,

SMITH & LOWNEY, PLLC

By: 

Marc Zemel

cc: Gina McCarthy, Administrator, U.S. EPA
Dennis McLerran, Region 10 Administrator, U.S. EPA
Maia Bellon, Director, Washington Department of Ecology
Kyle Lukins, Registered Agent (1131 SW Klickitat Way, Seattle, WA 98134)

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
-------------	-------------------------------	-------------	-------------------------------

Precipitation Data, King County
International Airport (BFI)

Source: <http://www.wunderground.com>

2009 **Precip. (in)**

Jan **sum**

<u>1</u>	0.53
<u>2</u>	0.09
<u>3</u>	0
<u>4</u>	0.52
<u>5</u>	0
<u>6</u>	0.53
<u>7</u>	1.45
<u>8</u>	0.08
<u>9</u>	0
<u>10</u>	0.11
<u>11</u>	0.02
<u>12</u>	0.03
<u>13</u>	0
<u>14</u>	0
<u>15</u>	0
<u>16</u>	0
<u>17</u>	0
<u>18</u>	0
<u>19</u>	0
<u>20</u>	0
<u>21</u>	0
<u>22</u>	0
<u>23</u>	0
<u>24</u>	0.04
<u>25</u>	0.02
<u>26</u>	0
<u>27</u>	0.03
<u>28</u>	0
<u>29</u>	0
<u>30</u>	0.15
<u>31</u>	0

2009 **Precip. (in)**

Feb **sum**

<u>1</u>	0
----------	---

<u>2</u>	0
<u>3</u>	0
<u>4</u>	0
<u>5</u>	0.01
<u>6</u>	0.05
<u>7</u>	0
<u>8</u>	0.04
<u>9</u>	0.25
<u>10</u>	0.27
<u>11</u>	0
<u>12</u>	0
<u>13</u>	0
<u>14</u>	0
<u>15</u>	0.02
<u>16</u>	0
<u>17</u>	0
<u>18</u>	0
<u>19</u>	0
<u>20</u>	0
<u>21</u>	0
<u>22</u>	0.14
<u>23</u>	0.22
<u>24</u>	0.33
<u>25</u>	0.34
<u>26</u>	0.08
<u>27</u>	0
<u>28</u>	0

2009 **Precip. (in)**

Mar **sum**

<u>1</u>	0.36
<u>2</u>	0.14
<u>3</u>	0.31
<u>4</u>	0.01
<u>5</u>	0.13
<u>6</u>	0
<u>7</u>	0.21
<u>8</u>	0.15
<u>9</u>	0.04
<u>10</u>	0
<u>11</u>	0
<u>12</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0.5	<u>22</u>	0.16
<u>15</u>	0.44	<u>23</u>	0.05
<u>16</u>	0.23	<u>24</u>	0
<u>17</u>	0.16	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0.04	<u>27</u>	0
<u>20</u>	0.13	<u>28</u>	0.06
<u>21</u>	0	<u>29</u>	0.03
<u>22</u>	0.01	<u>30</u>	0
<u>23</u>	0.03	2009	Precip. (in)
<u>24</u>	0	May	sum
<u>25</u>	0.2	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0.4
<u>27</u>	0	<u>3</u>	0.2
<u>28</u>	0.22	<u>4</u>	0.35
<u>29</u>	0.03	<u>5</u>	0.98
<u>30</u>	0	<u>6</u>	0.65
<u>31</u>	0.06	<u>7</u>	0.05
2009	Precip. (in)	<u>8</u>	0.06
Apr	sum	<u>9</u>	0
<u>1</u>	0.31	<u>10</u>	0
<u>2</u>	0.9	<u>11</u>	0.06
<u>3</u>	0.15	<u>12</u>	0.01
<u>4</u>	0	<u>13</u>	0.49
<u>5</u>	0	<u>14</u>	0.19
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0.02	<u>18</u>	0.39
<u>10</u>	0.01	<u>19</u>	0.43
<u>11</u>	0.03	<u>20</u>	0
<u>12</u>	0.68	<u>21</u>	0
<u>13</u>	0.15	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0.21	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2009	Precip. (in)	<u>8</u>	0
Jun	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0.02
<u>4</u>	0	<u>13</u>	0.04
<u>5</u>	0	<u>14</u>	0
<u>6</u>	0.01	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0
<u>12</u>	0	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0.17	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0
<u>22</u>	0.02	<u>31</u>	0
<u>23</u>	0	2009	Precip. (in)
<u>24</u>	0	Aug	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
2009	Precip. (in)	<u>7</u>	0
Jul	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0.02
<u>3</u>	0	<u>11</u>	0.32
<u>4</u>	0	<u>12</u>	0.04
<u>5</u>	0	<u>13</u>	0.23

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>14</u>	0.01	<u>22</u>	0
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0.01
<u>21</u>	0	<u>29</u>	0.29
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	2009	Precip. (in)
<u>24</u>	0	Oct	sum
<u>25</u>	0.01	<u>1</u>	0.06
<u>26</u>	0	<u>2</u>	0.44
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0.2	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2009	Precip. (in)	<u>8</u>	0
Sep	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0.09	<u>12</u>	0
<u>4</u>	0	<u>13</u>	0.18
<u>5</u>	0.34	<u>14</u>	0.56
<u>6</u>	0.85	<u>15</u>	0.07
<u>7</u>	0.06	<u>16</u>	0.89
<u>8</u>	0.01	<u>17</u>	1.04
<u>9</u>	0	<u>18</u>	0.08
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.01
<u>12</u>	0	<u>21</u>	0.15
<u>13</u>	0	<u>22</u>	0.02
<u>14</u>	0	<u>23</u>	0.3
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0.01	<u>25</u>	0.05
<u>17</u>	0.01	<u>26</u>	0.97
<u>18</u>	0	<u>27</u>	0.01
<u>19</u>	0.41	<u>28</u>	0.06
<u>20</u>	0	<u>29</u>	0.26
<u>21</u>	0	<u>30</u>	0.02

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>31</u>	0.28	<u>7</u>	0
2009	Precip. (in)	<u>8</u>	0
Nov	sum	<u>9</u>	0
<u>1</u>	0.06	<u>10</u>	0
<u>2</u>	0.01	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0	<u>13</u>	0
<u>5</u>	0.07	<u>14</u>	0.43
<u>6</u>	0.13	<u>15</u>	0.3
<u>7</u>	1.01	<u>16</u>	0.46
<u>8</u>	0.59	<u>17</u>	0.01
<u>9</u>	0.26	<u>18</u>	0.03
<u>10</u>	0.35	<u>19</u>	0.28
<u>11</u>	0.03	<u>20</u>	0.14
<u>12</u>	0	<u>21</u>	0.45
<u>13</u>	0.33	<u>22</u>	0.11
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0.17	<u>24</u>	0
<u>16</u>	0.91	<u>25</u>	0
<u>17</u>	0.52	<u>26</u>	0
<u>18</u>	0.19	<u>27</u>	0
<u>19</u>	0.66	<u>28</u>	0
<u>20</u>	0.34	<u>29</u>	0.03
<u>21</u>	0.43	<u>30</u>	0
<u>22</u>	0.61	<u>31</u>	0.26
<u>23</u>	0.04	2010	Precip. (in)
<u>24</u>	0.06	Jan	sum
<u>25</u>	0.26	<u>1</u>	0.39
<u>26</u>	0.9	<u>2</u>	0.05
<u>27</u>	0	<u>3</u>	0.02
<u>28</u>	0	<u>4</u>	0.82
<u>29</u>	0	<u>5</u>	0.09
<u>30</u>	0	<u>6</u>	0
2009	Precip. (in)	<u>7</u>	0.03
Dec	sum	<u>8</u>	0.91
<u>1</u>	0	<u>9</u>	0.07
<u>2</u>	0	<u>10</u>	0.1
<u>3</u>	0	<u>11</u>	1.03
<u>4</u>	0.03	<u>12</u>	0.63
<u>5</u>	0	<u>13</u>	0.39
<u>6</u>	0	<u>14</u>	0.31

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>15</u>	0.52	<u>23</u>	0.14
<u>16</u>	0.02	<u>24</u>	0.11
<u>17</u>	0.12	<u>25</u>	0.06
<u>18</u>	0	<u>26</u>	0.49
<u>19</u>	0.02	<u>27</u>	0.09
<u>20</u>	0.01	<u>28</u>	0
<u>21</u>	0	2010	Precip. (in)
<u>22</u>	0	Mar	sum
<u>23</u>	0.01	<u>1</u>	0
<u>24</u>	0.35	<u>2</u>	0.06
<u>25</u>	0.12	<u>3</u>	0
<u>26</u>	0	<u>4</u>	0
<u>27</u>	0	<u>5</u>	0
<u>28</u>	0	<u>6</u>	0
<u>29</u>	0.02	<u>7</u>	0.05
<u>30</u>	0.2	<u>8</u>	0.04
<u>31</u>	0.06	<u>9</u>	0
2010	Precip. (in)	<u>10</u>	0.03
Feb	sum	<u>11</u>	0.49
<u>1</u>	0.06	<u>12</u>	0.57
<u>2</u>	0.02	<u>13</u>	0.01
<u>3</u>	0.27	<u>14</u>	0
<u>4</u>	0.08	<u>15</u>	0.01
<u>5</u>	0.08	<u>16</u>	0.06
<u>6</u>	0.24	<u>17</u>	0.01
<u>7</u>	0.09	<u>18</u>	0
<u>8</u>	0	<u>19</u>	0
<u>9</u>	0	<u>20</u>	0
<u>10</u>	0.08	<u>21</u>	0.03
<u>11</u>	0.23	<u>22</u>	0
<u>12</u>	0.43	<u>23</u>	0
<u>13</u>	0.23	<u>24</u>	0
<u>14</u>	0.66	<u>25</u>	0.43
<u>15</u>	0.04	<u>26</u>	0
<u>16</u>	0.19	<u>27</u>	0
<u>17</u>	0	<u>28</u>	0.65
<u>18</u>	0	<u>29</u>	0.83
<u>19</u>	0	<u>30</u>	0.08
<u>20</u>	0	<u>31</u>	0.01
<u>21</u>	0		
<u>22</u>	0		

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
2010	Precip. (in)	<u>8</u>	0
Apr	sum	<u>9</u>	0
<u>1</u>	0.08	<u>10</u>	0.16
<u>2</u>	0.68	<u>11</u>	0.01
<u>3</u>	0.17	<u>12</u>	0
<u>4</u>	0.08	<u>13</u>	0
<u>5</u>	0.14	<u>14</u>	0
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0.11	<u>16</u>	0
<u>8</u>	0.09	<u>17</u>	0.01
<u>9</u>	0.07	<u>18</u>	0.18
<u>10</u>	0	<u>19</u>	0.28
<u>11</u>	0	<u>20</u>	0.13
<u>12</u>	0	<u>21</u>	0.04
<u>13</u>	0.08	<u>22</u>	0.09
<u>14</u>	0	<u>23</u>	0.18
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0.01	<u>25</u>	0.07
<u>17</u>	0.18	<u>26</u>	0.28
<u>18</u>	0.01	<u>27</u>	0.04
<u>19</u>	0	<u>28</u>	0.3
<u>20</u>	0.01	<u>29</u>	0.04
<u>21</u>	0.65	<u>30</u>	0.08
<u>22</u>	0	<u>31</u>	0.22
<u>23</u>	0.11	2010	Precip. (in)
<u>24</u>	0.01	Jun	sum
<u>25</u>	0	<u>1</u>	0.07
<u>26</u>	0.29	<u>2</u>	0.21
<u>27</u>	0.29	<u>3</u>	0.01
<u>28</u>	0.26	<u>4</u>	0.29
<u>29</u>	0	<u>5</u>	0.04
<u>30</u>	0.03	<u>6</u>	0.26
2010	Precip. (in)	<u>7</u>	0.06
May	sum	<u>8</u>	0.23
<u>1</u>	0	<u>9</u>	0.22
<u>2</u>	0.08	<u>10</u>	0.08
<u>3</u>	0.09	<u>11</u>	0.01
<u>4</u>	0.44	<u>12</u>	0
<u>5</u>	0.2	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0.17

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>16</u>	0.22	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0.03	<u>28</u>	0
<u>20</u>	0.17	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0
<u>22</u>	0	<u>31</u>	0
<u>23</u>	0	2010	Precip. (in)
<u>24</u>	0	Aug	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0.04
<u>30</u>	0	<u>6</u>	0
2010	Precip. (in)	<u>7</u>	0.16
Jul	sum	<u>8</u>	0.01
<u>1</u>	0.02	<u>9</u>	0
<u>2</u>	0.17	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0.07	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0.01
<u>14</u>	0	<u>22</u>	0
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	<u>31</u>	0.37
<u>24</u>	0		

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
2010	Precip. (in)	<u>8</u>	0.08
Sep	sum	<u>9</u>	1.01
<u>1</u>	0	<u>10</u>	0.92
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0.02	<u>13</u>	0.01
<u>5</u>	0	<u>14</u>	0.13
<u>6</u>	0.12	<u>15</u>	0
<u>7</u>	0.01	<u>16</u>	0
<u>8</u>	0.25	<u>17</u>	0
<u>9</u>	0.02	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.01
<u>12</u>	0	<u>21</u>	0.01
<u>13</u>	0	<u>22</u>	0.13
<u>14</u>	0	<u>23</u>	0.45
<u>15</u>	0.21	<u>24</u>	0.68
<u>16</u>	0.44	<u>25</u>	0.41
<u>17</u>	0.7	<u>26</u>	0.17
<u>18</u>	0.91	<u>27</u>	0
<u>19</u>	0.63	<u>28</u>	0.09
<u>20</u>	0	<u>29</u>	0.03
<u>21</u>	0	<u>30</u>	0.41
<u>22</u>	0	<u>31</u>	0.06
<u>23</u>	0.2	2010	Precip. (in)
<u>24</u>	0.03	Nov	sum
<u>25</u>	0	<u>1</u>	1.35
<u>26</u>	0.27	<u>2</u>	0
<u>27</u>	0.04	<u>3</u>	0
<u>28</u>	0.01	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0.07
<u>30</u>	0	<u>6</u>	0.69
2010	Precip. (in)	<u>7</u>	0.03
Oct	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0.19
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0.08
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0.12
<u>6</u>	0.01	<u>14</u>	0.34
<u>7</u>	0	<u>15</u>	0.04

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>16</u>	0	<u>25</u>	0.28
<u>17</u>	0.12	<u>26</u>	0.24
<u>18</u>	0.14	<u>27</u>	0.46
<u>19</u>	0.08	<u>28</u>	0
<u>20</u>	0.01	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0
<u>22</u>	0.07	<u>31</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0	Jan	sum
<u>25</u>	0.01	<u>1</u>	0
<u>26</u>	0.39	<u>2</u>	0
<u>27</u>	0.01	<u>3</u>	0
<u>28</u>	0.05	<u>4</u>	0.03
<u>29</u>	0.09	<u>5</u>	0.11
<u>30</u>	0.69	<u>6</u>	0.28
2010	Precip. (in)	<u>7</u>	0.52
Dec	sum	<u>8</u>	0.01
<u>1</u>	0	<u>9</u>	0.03
<u>2</u>	0.01	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0.12
<u>4</u>	0	<u>12</u>	0.74
<u>5</u>	0	<u>13</u>	0.66
<u>6</u>	0	<u>14</u>	0.08
<u>7</u>	0.47	<u>15</u>	0.42
<u>8</u>	0.74	<u>16</u>	0.11
<u>9</u>	0.99	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.08
<u>11</u>	1.37	<u>19</u>	0
<u>12</u>	2.24	<u>20</u>	0.05
<u>13</u>	0.34	<u>21</u>	0.68
<u>14</u>	0.57	<u>22</u>	0
<u>15</u>	0.09	<u>23</u>	0.04
<u>16</u>	0.02	<u>24</u>	0.26
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0.13	<u>26</u>	0
<u>19</u>	0.14	<u>27</u>	0
<u>20</u>	0.07	<u>28</u>	0.07
<u>21</u>	0.04	<u>29</u>	0.26
<u>22</u>	0.02	<u>30</u>	0
<u>23</u>	0.43	<u>31</u>	0
<u>24</u>	0.44		

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
2011	Precip. (in)	<u>10</u>	0.41
Feb	sum	<u>11</u>	0
<u>1</u>	0	<u>12</u>	0.47
<u>2</u>	0	<u>13</u>	0.65
<u>3</u>	0.02	<u>14</u>	0.3
<u>4</u>	0.06	<u>15</u>	0.43
<u>5</u>	0.09	<u>16</u>	0.22
<u>6</u>	0.11	<u>17</u>	0
<u>7</u>	0.06	<u>18</u>	0.18
<u>8</u>	0.01	<u>19</u>	0
<u>9</u>	0	<u>20</u>	0.01
<u>10</u>	0	<u>21</u>	0.01
<u>11</u>	0	<u>22</u>	0
<u>12</u>	0.45	<u>23</u>	0
<u>13</u>	0.28	<u>24</u>	0.04
<u>14</u>	0.84	<u>25</u>	0.11
<u>15</u>	0.15	<u>26</u>	0.08
<u>16</u>	0.04	<u>27</u>	0.19
<u>17</u>	0.02	<u>28</u>	0.11
<u>18</u>	0	<u>29</u>	0.13
<u>19</u>	0	<u>30</u>	0.09
<u>20</u>	0	<u>31</u>	0.11
<u>21</u>	0.06	2011	Precip. (in)
<u>22</u>	0.2	Apr	sum
<u>23</u>	0.08	<u>1</u>	0.85
<u>24</u>	0.01	<u>2</u>	0.25
<u>25</u>	0	<u>3</u>	0.07
<u>26</u>	0	<u>4</u>	0.12
<u>27</u>	0.51	<u>5</u>	0.15
<u>28</u>	0.22	<u>6</u>	0.1
2011	Precip. (in)	<u>7</u>	0.09
Mar	sum	<u>8</u>	0
<u>1</u>	0.22	<u>9</u>	0
<u>2</u>	0.14	<u>10</u>	0.09
<u>3</u>	0.35	<u>11</u>	0.04
<u>4</u>	0.12	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0.07
<u>6</u>	0	<u>14</u>	0.39
<u>7</u>	0	<u>15</u>	0.02
<u>8</u>	0.1	<u>16</u>	0.15
<u>9</u>	1.47	<u>17</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>18</u>	0.02	<u>27</u>	0.09
<u>19</u>	0	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0.04	<u>30</u>	0
<u>22</u>	0	<u>31</u>	0.06
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0.05	Jun	sum
<u>25</u>	0.45	<u>1</u>	0.24
<u>26</u>	0.03	<u>2</u>	0.25
<u>27</u>	0.44	<u>3</u>	0
<u>28</u>	0.04	<u>4</u>	0
<u>29</u>	0.04	<u>5</u>	0
<u>30</u>	0.17	<u>6</u>	0
2011	Precip. (in)	<u>7</u>	0.1
May	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0.22	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0.04	<u>13</u>	0.03
<u>6</u>	0.12	<u>14</u>	0
<u>7</u>	0.04	<u>15</u>	0.11
<u>8</u>	0.17	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.3
<u>11</u>	0.51	<u>19</u>	0.03
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0.52	<u>22</u>	0
<u>15</u>	0.69	<u>23</u>	0.01
<u>16</u>	0	<u>24</u>	0.12
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0.1	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0	Jul	sum
<u>25</u>	0.24	<u>1</u>	0
<u>26</u>	0.04	<u>2</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0.01	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0.09	<u>20</u>	0
<u>13</u>	0.01	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0.08
<u>15</u>	0.04	<u>23</u>	0
<u>16</u>	0.33	<u>24</u>	0
<u>17</u>	0.06	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	<u>31</u>	0
<u>24</u>	0	2011	Precip. (in)
<u>25</u>	0.27	Sep	sum
<u>26</u>	0	<u>1</u>	0
<u>27</u>	0	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0
<u>29</u>	0	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0
<u>31</u>	0	<u>6</u>	0
2011	Precip. (in)	<u>7</u>	0
Aug	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0.21
<u>10</u>	0	<u>18</u>	0.13

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>19</u>	0.06	<u>28</u>	0.38
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0.14
<u>22</u>	0	<u>31</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0	Nov	sum
<u>25</u>	0.22	<u>1</u>	0
<u>26</u>	0.32	<u>2</u>	0.42
<u>27</u>	0.04	<u>3</u>	0
<u>28</u>	0.01	<u>4</u>	0.06
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0.02	<u>6</u>	0
2011	Precip. (in)	<u>7</u>	0.01
Oct	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0.14	<u>10</u>	0
<u>3</u>	0.09	<u>11</u>	0.3
<u>4</u>	0.02	<u>12</u>	0.15
<u>5</u>	0.1	<u>13</u>	0.09
<u>6</u>	0.19	<u>14</u>	0
<u>7</u>	0.05	<u>15</u>	0
<u>8</u>	0.01	<u>16</u>	0.38
<u>9</u>	0.06	<u>17</u>	0.1
<u>10</u>	0.18	<u>18</u>	0.01
<u>11</u>	0.57	<u>19</u>	0
<u>12</u>	0.01	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0.42
<u>14</u>	0.01	<u>22</u>	1.58
<u>15</u>	0	<u>23</u>	1
<u>16</u>	0	<u>24</u>	0.35
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0.03
<u>19</u>	0	<u>27</u>	0.33
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0.03	<u>29</u>	0.05
<u>22</u>	0.28	<u>30</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0.02	Dec	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0.01	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0.13
<u>7</u>	0	<u>15</u>	0.23
<u>8</u>	0	<u>16</u>	0.07
<u>9</u>	0	<u>17</u>	0.09
<u>10</u>	0.01	<u>18</u>	0.44
<u>11</u>	0.05	<u>19</u>	0.32
<u>12</u>	0	<u>20</u>	0.39
<u>13</u>	0	<u>21</u>	0.06
<u>14</u>	0.01	<u>22</u>	0.29
<u>15</u>	0.03	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0.24
<u>17</u>	0	<u>25</u>	0.4
<u>18</u>	0.08	<u>26</u>	0.31
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0.67
<u>22</u>	0	<u>30</u>	0.11
<u>23</u>	0.01	<u>31</u>	0.04
<u>24</u>	0.01	2012	Precip. (in)
<u>25</u>	0.04	Feb	sum
<u>26</u>	0.03	<u>1</u>	0.45
<u>27</u>	0.03	<u>2</u>	0
<u>28</u>	0.47	<u>3</u>	0
<u>29</u>	0.21	<u>4</u>	0
<u>30</u>	0.02	<u>5</u>	0
<u>31</u>	0	<u>6</u>	0
2012	Precip. (in)	<u>7</u>	0
Jan	sum	<u>8</u>	0.1
<u>1</u>	0	<u>9</u>	0.11
<u>2</u>	0.48	<u>10</u>	0.09
<u>3</u>	0.03	<u>11</u>	0
<u>4</u>	0.65	<u>12</u>	0.04
<u>5</u>	0.08	<u>13</u>	0.44
<u>6</u>	0.04	<u>14</u>	0.04
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0.04
<u>9</u>	0.17	<u>17</u>	0.4
<u>10</u>	0.06	<u>18</u>	0.18
<u>11</u>	0	<u>19</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>20</u>	0	<u>30</u>	0.08
<u>21</u>	0	<u>31</u>	0
<u>22</u>	0.22	2012	Precip. (in)
<u>23</u>	0	Apr	sum
<u>24</u>	0.49	<u>1</u>	0
<u>25</u>	0.01	<u>2</u>	0
<u>26</u>	0	<u>3</u>	0
<u>27</u>	0	<u>4</u>	0
<u>28</u>	0.18	<u>5</u>	0
<u>29</u>	0.08	<u>6</u>	0
2012	Precip. (in)	<u>7</u>	0
Mar	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0.04	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0.08
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0.36	<u>13</u>	0
<u>6</u>	0.05	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0.24
<u>9</u>	0.17	<u>17</u>	0.07
<u>10</u>	0.46	<u>18</u>	0.09
<u>11</u>	0.31	<u>19</u>	0.28
<u>12</u>	0.66	<u>20</u>	0.26
<u>13</u>	0.23	<u>21</u>	0
<u>14</u>	0.44	<u>22</u>	0
<u>15</u>	1.07	<u>23</u>	0
<u>16</u>	0.19	<u>24</u>	0.03
<u>17</u>	0.44	<u>25</u>	0.41
<u>18</u>	0.08	<u>26</u>	0.16
<u>19</u>	0.03	<u>27</u>	0.01
<u>20</u>	0.12	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0.08
<u>22</u>	0.16	<u>30</u>	0.26
<u>23</u>	0	2012	Precip. (in)
<u>24</u>	0	May	sum
<u>25</u>	0	<u>1</u>	0.05
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0.21	<u>3</u>	0.78
<u>28</u>	0.15	<u>4</u>	0.32
<u>29</u>	1.15	<u>5</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0.01	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.21
<u>11</u>	0	<u>19</u>	0.03
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0.31
<u>15</u>	0	<u>23</u>	0.6
<u>16</u>	0	<u>24</u>	0.01
<u>17</u>	0.47	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0.16	<u>28</u>	0
<u>21</u>	0.41	<u>29</u>	0
<u>22</u>	0.12	<u>30</u>	0
<u>23</u>	0.02	2012	Precip. (in)
<u>24</u>	0.01	Jul	sum
<u>25</u>	0.05	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0.02	<u>6</u>	0
<u>31</u>	0.15	<u>7</u>	0
2012	Precip. (in)	<u>8</u>	0
Jun	sum	<u>9</u>	0
<u>1</u>	0.1	<u>10</u>	0
<u>2</u>	0.02	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0.03	<u>13</u>	0
<u>5</u>	0.49	<u>14</u>	0
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0.54	<u>16</u>	0
<u>8</u>	0.05	<u>17</u>	0
<u>9</u>	0.02	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.61
<u>12</u>	0.03	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>23</u>	0	<u>31</u>	0
<u>24</u>	0	2012	Precip. (in)
<u>25</u>	0	Sep	sum
<u>26</u>	0	<u>1</u>	0
<u>27</u>	0	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0
<u>29</u>	0	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0
<u>31</u>	0	<u>6</u>	0
2012	Precip. (in)	<u>7</u>	0
Aug	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0.02
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0.02
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	2012	Precip. (in)
<u>24</u>	0	Oct	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0.25
<u>9</u>	0	<u>17</u>	0.2
<u>10</u>	0	<u>18</u>	0.63
<u>11</u>	0	<u>19</u>	2.49
<u>12</u>	0.09	<u>20</u>	0.22
<u>13</u>	0.09	<u>21</u>	0.52
<u>14</u>	0.52	<u>22</u>	0.02
<u>15</u>	0.22	<u>23</u>	0.95
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0.64	<u>26</u>	0
<u>19</u>	0.1	<u>27</u>	0
<u>20</u>	0.18	<u>28</u>	0.12
<u>21</u>	0.14	<u>29</u>	0.11
<u>22</u>	0.26	<u>30</u>	1.51
<u>23</u>	0	2012	Precip. (in)
<u>24</u>	0.19	Dec	sum
<u>25</u>	0	<u>1</u>	0.28
<u>26</u>	0.06	<u>2</u>	1
<u>27</u>	0.75	<u>3</u>	0.41
<u>28</u>	0.26	<u>4</u>	0.46
<u>29</u>	0.57	<u>5</u>	0.02
<u>30</u>	1.2	<u>6</u>	0.07
<u>31</u>	0.64	<u>7</u>	0.14
2012	Precip. (in)	<u>8</u>	0
Nov	sum	<u>9</u>	0.06
<u>1</u>	0.34	<u>10</u>	0
<u>2</u>	0.19	<u>11</u>	0.1
<u>3</u>	0.02	<u>12</u>	0.28
<u>4</u>	0.17	<u>13</u>	0.08
<u>5</u>	0.05	<u>14</u>	0.25
<u>6</u>	0.01	<u>15</u>	0.24
<u>7</u>	0	<u>16</u>	0.92
<u>8</u>	0	<u>17</u>	0.11
<u>9</u>	0	<u>18</u>	0.05
<u>10</u>	0	<u>19</u>	0.99
<u>11</u>	0.55	<u>20</u>	0.64
<u>12</u>	0.13	<u>21</u>	0.07
<u>13</u>	0.19	<u>22</u>	0.12
<u>14</u>	0	<u>23</u>	0.39

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>24</u>	0.08	2013	Precip. (in)
<u>25</u>	0.41	Feb	sum
<u>26</u>	0.25	<u>1</u>	0
<u>27</u>	0.27	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0.08
<u>29</u>	0.06	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0.18
<u>31</u>	0	<u>6</u>	0.08
2013	Precip. (in)	<u>7</u>	0.09
Jan	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0.01
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0.18	<u>11</u>	0.01
<u>4</u>	0.07	<u>12</u>	0
<u>5</u>	0.1	<u>13</u>	0
<u>6</u>	0.03	<u>14</u>	0.03
<u>7</u>	0.02	<u>15</u>	0
<u>8</u>	0.53	<u>16</u>	0
<u>9</u>	1.15	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0.07
<u>13</u>	0	<u>21</u>	0.01
<u>14</u>	0	<u>22</u>	0.34
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0.02
<u>17</u>	0	<u>25</u>	0.14
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0	<u>27</u>	0.32
<u>20</u>	0	<u>28</u>	0.25
<u>21</u>	0	2013	Precip. (in)
<u>22</u>	0	Mar	sum
<u>23</u>	0.21	<u>1</u>	0.04
<u>24</u>	0.16	<u>2</u>	0.21
<u>25</u>	0.09	<u>3</u>	0
<u>26</u>	0.16	<u>4</u>	0
<u>27</u>	0.01	<u>5</u>	0
<u>28</u>	0.21	<u>6</u>	0.61
<u>29</u>	0.29	<u>7</u>	0.26
<u>30</u>	0.06	<u>8</u>	0
<u>31</u>	0.08	<u>9</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>10</u>	0.01	<u>18</u>	0.18
<u>11</u>	0.03	<u>19</u>	0.67
<u>12</u>	0.01	<u>20</u>	0.01
<u>13</u>	0.15	<u>21</u>	0.03
<u>14</u>	0.05	<u>22</u>	0
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0.04	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0.37	<u>27</u>	0
<u>20</u>	0.72	<u>28</u>	0.08
<u>21</u>	0.1	<u>29</u>	0.15
<u>22</u>	0.01	<u>30</u>	0
<u>23</u>	0	2013	Precip. (in)
<u>24</u>	0	May	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0.01	<u>3</u>	0
<u>28</u>	0.06	<u>4</u>	0
<u>29</u>	0.01	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2013	Precip. (in)	<u>8</u>	0
Apr	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0.08
<u>4</u>	0.41	<u>13</u>	0.11
<u>5</u>	0.44	<u>14</u>	0
<u>6</u>	0.44	<u>15</u>	0.03
<u>7</u>	0.96	<u>16</u>	0
<u>8</u>	0.04	<u>17</u>	0.02
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0.15	<u>19</u>	0
<u>11</u>	0.09	<u>20</u>	0
<u>12</u>	0.18	<u>21</u>	0.39
<u>13</u>	0.31	<u>22</u>	0.21
<u>14</u>	0.06	<u>23</u>	0.08
<u>15</u>	0	<u>24</u>	0.02
<u>16</u>	0.07	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0.08

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>27</u>	0.2	<u>3</u>	0
<u>28</u>	0.01	<u>4</u>	0
<u>29</u>	0.17	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2013	Precip. (in)	<u>8</u>	0
Jun	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0	<u>13</u>	0
<u>5</u>	0	<u>14</u>	0
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0
<u>12</u>	0	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0.01	<u>30</u>	0
<u>22</u>	0	<u>31</u>	0
<u>23</u>	0	2013	Precip. (in)
<u>24</u>	0.01	Aug	sum
<u>25</u>	0.01	<u>1</u>	0
<u>26</u>	0.56	<u>2</u>	0
<u>27</u>	0.13	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
2013	Precip. (in)	<u>7</u>	0
Jul	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0.15
<u>13</u>	0	<u>21</u>	0.01
<u>14</u>	0	<u>22</u>	0.37
<u>15</u>	0	<u>23</u>	0.08
<u>16</u>	0	<u>24</u>	0.01
<u>17</u>	0	<u>25</u>	0.04
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0	<u>27</u>	0.05
<u>20</u>	0	<u>28</u>	1.21
<u>21</u>	0	<u>29</u>	0.62
<u>22</u>	0	<u>30</u>	0.63
<u>23</u>	0	2013	Precip. (in)
<u>24</u>	0	Oct	sum
<u>25</u>	0	<u>1</u>	0.08
<u>26</u>	0	<u>2</u>	0.19
<u>27</u>	0	<u>3</u>	0.02
<u>28</u>	0	<u>4</u>	0.01
<u>29</u>	0.38	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0.04
<u>31</u>	0	<u>7</u>	0.1
2013	Precip. (in)	<u>8</u>	0.39
Sep	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0.03
<u>2</u>	0	<u>11</u>	0.53
<u>3</u>	0.12	<u>12</u>	0.06
<u>4</u>	0	<u>13</u>	0
<u>5</u>	0.46	<u>14</u>	0.01
<u>6</u>	1.08	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0.01	<u>17</u>	0.01
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0
<u>12</u>	0	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0.01
<u>15</u>	0.21	<u>24</u>	0.01
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0.01
<u>18</u>	0	<u>27</u>	0.06

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0.01	<u>6</u>	0
<u>31</u>	0.01	<u>7</u>	0
2013	Precip. (in)	<u>8</u>	0
Nov	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0.38	<u>11</u>	0
<u>3</u>	0.02	<u>12</u>	0.22
<u>4</u>	0.01	<u>13</u>	0.01
<u>5</u>	0.05	<u>14</u>	0
<u>6</u>	0.09	<u>15</u>	0.03
<u>7</u>	0.94	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0.09	<u>18</u>	0.04
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.1
<u>12</u>	0.14	<u>21</u>	0.22
<u>13</u>	0	<u>22</u>	0.21
<u>14</u>	0.01	<u>23</u>	0.01
<u>15</u>	0.08	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0.05	<u>26</u>	0
<u>18</u>	0.8	<u>27</u>	0.03
<u>19</u>	0.11	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0.02
<u>22</u>	0	<u>31</u>	0.01
<u>23</u>	0.08	2014	Precip. (in)
<u>24</u>	0	Jan	sum
<u>25</u>	0	<u>1</u>	0.01
<u>26</u>	0	<u>2</u>	0.53
<u>27</u>	0	<u>3</u>	0.03
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0.01	<u>5</u>	0
<u>30</u>	0.06	<u>6</u>	0
2013	Precip. (in)		
Dec	sum		
<u>1</u>	0.03		
<u>2</u>	0.11		
<u>3</u>	0.01		

EXHIBIT 2

SMITH & LOWNEY, P.L.L.C.

2317 EAST JOHN STREET
SEATTLE, WASHINGTON 98112
(206) 860-2883, FAX (206) 860-4187

June 12, 2014

Via Certified Mail - Return Receipt Requested

Tay Yoshitani, CEO
Port of Seattle
P.O. Box 1209
Seattle, WA 98111

Via Certified Mail - Return Receipt Requested

Linda Styrk, Managing Director – Seaport Division
Port of Seattle
P.O. Box 1209
Seattle, WA 98111

Re: **NOTICE OF INTENT TO SUE UNDER THE CLEAN WATER ACT**

Dear Tay Yoshitani and Linda Styrk:

We represent Puget Soundkeeper Alliance (“Soundkeeper”), 5305 Shilshole Ave. NW, Suite 150, Seattle, WA 98107, (206) 297-7002. Any response or correspondence related to this matter should be directed to us at the letterhead address. This letter is to provide you with sixty days notice of Soundkeeper’s intent to file a citizen suit against the Port of Seattle (the “Port”) under section 505 of the Clean Water Act (“CWA”), 33 USC § 1365, for the violations described below, or amend our claims in Western District of Washington Case No. 14-00476-JCC to include the violations described below.

I. Unpermitted Discharges

The CWA, 33 U.S.C. §§ 1311 and 1342, prohibits the discharge of pollutants, including stormwater associated with industrial activity, to waters of the United States, except as authorized by a National Pollutant Discharge Elimination System (“NPDES”) permit. The Port has violated and continues to violate Section 301(a) of the CWA, 33 U.S.C. § 1311(a), by discharging pollutants from its water transportation facility located at or about Pier 66, 2225 Alaskan Way, Seattle, WA 98121 (the “facility” or “site”) to waters of the United States without a NPDES permit. The facility subject to this notice includes any contiguous or adjacent properties owned or operated by the Port as a cruise terminal.

The Port discharges industrial stormwater and pollutants to Elliott Bay and Puget Sound directly and/or via a stormwater drainage system. On information and belief these pollutants include turbidity, suspended and dissolved solids, oxygen demanding substances, non-neutral pH, hydrocarbons, and metals, including copper and zinc. These violations of the CWA have occurred on each day from June 1, 2009, through the present during which there

was a stormwater discharge from the facility, generally including days on which there has been at least 0.1 inch of precipitation, and continue to occur. Precipitation data from King County International Airport (BFI) identifying such days is appended to this notice of intent to sue. The violations alleged in this notice of intent to sue will continue until the Port obtains and comes into compliance with a NPDES permit authorizing such discharges.¹

II. Industrial Stormwater General Permit requirements

The Washington Department of Ecology (“Ecology”) authorizes discharges of stormwater associated with certain industrial activities under the Industrial Stormwater General Permit, including stormwater discharged from transportation facilities with vehicle maintenance activity. The site is a water transportation facility where mobile fueling and other maintenance and equipment cleaning activities occur. Stormwater and pollutants discharged from the site are “stormwater discharges associated with industrial activity” subject to the 33 U.S.C. § 1311(a) prohibition on discharges of pollutants without NPDES permit authorization. *See also*, 33 U.S.C. §1342(p) and 40 C.F.R. § 122.26(a), (b)(14), and (c). The current Industrial Stormwater General Permit (“2010 Permit”) was issued by Ecology on October 21, 2009, with an effective date of January 1, 2010, and modified May 16, 2012, effective July 1, 2012. The previous Industrial Stormwater General Permit issued by Ecology on August 21, 2002, effective on September 20, 2002, modified on December 1, 2004, effective January 14, 2005, expiring September 20, 2007, reissued August 15, 2007, effective September 15, 2007, reissued again on October 15, 2008, effective November 15, 2008, expiring April 30, 2009, but remaining effective through December 31, 2009 (“2005 Permit”). The 2010 Permit includes conditions substantially similar to those of the 2005 Permit.

Should the Port have or obtain 2010 Permit coverage for the facility, compliance with the 2010 Permit requires the Port to correct the deficiencies identified below. Soundkeeper hereby provides notice of its intent to sue for these violations of the 2010 Permit.

1. Compliance with standards.

Condition S10.C. of the 2010 Permit requires permittees to apply all known and reasonable methods of prevention, control and treatment (“AKART”) to all discharges, including preparation and implementation of an adequate stormwater pollution prevention plan (“SWPPP”) and best management practices (“BMPs”). On information and belief, the Port has not applied AKART to its discharges or implemented adequate BMPs at the facility, including structural source control BMPs to minimize the exposure of pollutants to precipitation, and stormwater treatment BMPs to remove pollutants prior to discharge.

¹ Soundkeeper is aware of the Port’s Phase I Municipal Stormwater NPDES Permit (“MS4 Permit”), but the MS4 Permit does not permit stormwater discharges associated with industrial activities (detailed in this letter). A municipality’s MS4 Permit does not supersede or eliminate the requirement for the municipality to comply with an industrial stormwater NPDES permit when the municipality is engaged in industrial activities that result in an industrial stormwater discharge.

2. Stormwater Pollution Prevention Plan

Condition S3.A.1. of the 2010 Permit requires permittees to develop and implement a SWPPP as specified. S3.A.2. specifies that the SWPPP must indicate the BMPs necessary to provide AKART and ensure that discharges do not cause or contribute to violations of water quality standards. On information and belief, the Port has not prepared and implemented a SWPPP that specifies AKART and ensures discharges do not cause or contribute to violations of water quality standards.

Condition S3.A.3.a. of the 2010 Permit requires that BMPs in a permittee's SWPPP be consistent with the Stormwater Management Manual for Western Washington (2005 edition) ("SWMMWW"), which is available on the internet at <http://www.ecy.wa.gov/programs/wq/stormwater/manual.html>. Alternatively, the SWPPP must include documentation that the BMPs included therein are demonstratively equivalent to those described in the SWMMWW, including proper selection, implementation and maintenance. On information and belief, the Port has not prepared and is not implementing a SWPPP that is consistent with this manual or that is demonstratively equivalent thereto, including the housekeeping and other operational BMPs, the structural source control BMPs, and the stormwater treatment BMPs identified in the SWMMWW.

Condition S3.B.4.b. of the 2010 Permit identifies mandatory BMPs that must be included in the SWPPP and implemented, unless the permittee clearly justifies why each omitted mandatory BMP is unnecessary, infeasible, or replaced by alternative and equally effective BMPs. On information and belief, the Port is not implementing several BMPs identified in the 2010 Permit, including preventive maintenance BMPs to maintain the stormwater drainage systems, including a schedule or frequency for each maintenance task (S3.B.4.b.3.), having a spill prevention and emergency cleanup plan (S3.B.4.b.i.4.), provisions for employee training, including a training log (S3.B.4.b.i.5.), provisions for facility inspections, regular compliance certification, and recordkeeping (S3.B.4.b.i.6.), adequate measures to identify and eliminate the discharge of process wastewater (S3.B.4.b.i.7.), the "applicable" BMPs from the SWMMWW (S3.B.4.b.ii.1.), and location of industrial materials and activities inside or protecting them with storm resistant coverings (S3.B.4.b.ii.2.).

3. Monitoring

Condition S4.B.2. of the 2010 Permit requires permittees to sample quarterly each distinct point of discharge off-site except as otherwise exempt from monitoring as a "substantially identical outfall" per 2010 Permit Condition S3.B.5.b. Condition S4.B.3. of the 2010 Permit requires permittees to record and retain specified information about each stormwater sample taken, including a notation describing if they collected the sample within the first 12 hours of stormwater discharge events and, if not, an explanation why not. Condition S4.A. and B. of the 2010 Permit require permittees to collect stormwater samples no less than once per quarter. Condition S4. of the 2005 Permit included a substantially similar sample collection requirement. Condition S9.A. of the 2010 Permit requires permittees to report results of analysis of these samples to Ecology on specified forms (Discharge Monitoring Reports, or "DMRs") on a specified schedule. Condition S5.A. of the

2005 Permit included a substantially similar requirement. The Port has not collected stormwater discharge samples and/or reported the results to Ecology on DMRs.

III. Conclusion

The above-described violations reflect those indicated by the information currently available to Soundkeeper. These violations are ongoing. Soundkeeper intends to sue for all violations, including those yet to be uncovered and those committed after the date of this notice of intent to sue.

Under Section 309(d) of the CWA, 33 USC § 1319(d), each of the above-described violations subjects the violator to a penalty of up to \$37,500 per day for each violation. In addition to civil penalties, Soundkeeper will seek injunctive relief to prevent further violations under Sections 505(a) and (d) of the CWA, 33 USC § 1365(a) and (d), and such other relief as is permitted by law. Section 505(d) of the CWA, 33 USC § 1365(d), also permits prevailing parties to recover costs, including attorney's fees.

Soundkeeper believes that this NOTICE OF INTENT TO SUE sufficiently states grounds for filing suit. We intend, at the close of the 60-day notice period, or shortly thereafter, to file a citizen suit against the Port of Seattle under Section 505(a) of the Clean Water Act for violations. During the 60-day notice period, we would be willing to discuss effective remedies for the violations addressed in this letter and settlement terms, however; we do not intend to delay the filing of a complaint or the amending of the complaint in W.D. Wash. Case No. 14-00476-JCC if discussions are continuing when the notice period ends. To initiate those discussions you may contact us by phone or mail (see letterhead), or by e-mail at rasmithwa@igc.org or marcz@igc.org.

Sincerely,

SMITH & LOWNEY, PLLC

By 

Richard Smith
Marc Zemel

cc: Gina McCarthy, Administrator, U.S. EPA
Dennis McLerran, Region 10 Administrator, U.S. EPA
Maia Bellon, Director, Washington Department of Ecology

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
Precipitation Data		<u>2</u>	0
King County International Airport (BFI)		<u>3</u>	0
Source: wunderground.com		<u>4</u>	0
2009	Precip. (in)	<u>5</u>	0.01
Jan	sum	<u>6</u>	0.05
<u>1</u>	0.53	<u>7</u>	0
<u>2</u>	0.09	<u>8</u>	0.04
<u>3</u>	0	<u>9</u>	0.25
<u>4</u>	0.52	<u>10</u>	0.27
<u>5</u>	0	<u>11</u>	0
<u>6</u>	0.53	<u>12</u>	0
<u>7</u>	1.45	<u>13</u>	0
<u>8</u>	0.08	<u>14</u>	0
<u>9</u>	0	<u>15</u>	0.02
<u>10</u>	0.11	<u>16</u>	0
<u>11</u>	0.02	<u>17</u>	0
<u>12</u>	0.03	<u>18</u>	0
<u>13</u>	0	<u>19</u>	0
<u>14</u>	0	<u>20</u>	0
<u>15</u>	0	<u>21</u>	0
<u>16</u>	0	<u>22</u>	0.14
<u>17</u>	0	<u>23</u>	0.22
<u>18</u>	0	<u>24</u>	0.33
<u>19</u>	0	<u>25</u>	0.34
<u>20</u>	0	<u>26</u>	0.08
<u>21</u>	0	<u>27</u>	0
<u>22</u>	0	<u>28</u>	0
<u>23</u>	0	2009	Precip. (in)
<u>24</u>	0.04	Mar	sum
<u>25</u>	0.02	<u>1</u>	0.36
<u>26</u>	0	<u>2</u>	0.14
<u>27</u>	0.03	<u>3</u>	0.31
<u>28</u>	0	<u>4</u>	0.01
<u>29</u>	0	<u>5</u>	0.13
<u>30</u>	0.15	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0.21
2009	Precip. (in)	<u>8</u>	0.15
Feb	sum	<u>9</u>	0.04
<u>1</u>	0	<u>10</u>	0
		<u>11</u>	0
		<u>12</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0.5	<u>22</u>	0.16
<u>15</u>	0.44	<u>23</u>	0.05
<u>16</u>	0.23	<u>24</u>	0
<u>17</u>	0.16	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0.04	<u>27</u>	0
<u>20</u>	0.13	<u>28</u>	0.06
<u>21</u>	0	<u>29</u>	0.03
<u>22</u>	0.01	<u>30</u>	0
<u>23</u>	0.03	2009	Precip. (in)
<u>24</u>	0	May	sum
<u>25</u>	0.2	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0.4
<u>27</u>	0	<u>3</u>	0.2
<u>28</u>	0.22	<u>4</u>	0.35
<u>29</u>	0.03	<u>5</u>	0.98
<u>30</u>	0	<u>6</u>	0.65
<u>31</u>	0.06	<u>7</u>	0.05
2009	Precip. (in)	<u>8</u>	0.06
Apr	sum	<u>9</u>	0
<u>1</u>	0.31	<u>10</u>	0
<u>2</u>	0.9	<u>11</u>	0.06
<u>3</u>	0.15	<u>12</u>	0.01
<u>4</u>	0	<u>13</u>	0.49
<u>5</u>	0	<u>14</u>	0.19
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0.02	<u>18</u>	0.39
<u>10</u>	0.01	<u>19</u>	0.43
<u>11</u>	0.03	<u>20</u>	0
<u>12</u>	0.68	<u>21</u>	0
<u>13</u>	0.15	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0.21	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2009	Precip. (in)	<u>8</u>	0
Jun	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0.02
<u>4</u>	0	<u>13</u>	0.04
<u>5</u>	0	<u>14</u>	0
<u>6</u>	0.01	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0
<u>12</u>	0	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0.17	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0
<u>22</u>	0.02	<u>31</u>	0
<u>23</u>	0	2009	Precip. (in)
<u>24</u>	0	Aug	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
2009	Precip. (in)	<u>7</u>	0
Jul	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0.02
<u>3</u>	0	<u>11</u>	0.32
<u>4</u>	0	<u>12</u>	0.04
<u>5</u>	0	<u>13</u>	0.23

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>14</u>	0.01	<u>22</u>	0
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0.01
<u>21</u>	0	<u>29</u>	0.29
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	2009	Precip. (in)
<u>24</u>	0	Oct	sum
<u>25</u>	0.01	<u>1</u>	0.06
<u>26</u>	0	<u>2</u>	0.44
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0.2	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2009	Precip. (in)	<u>8</u>	0
Sep	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0.09	<u>12</u>	0
<u>4</u>	0	<u>13</u>	0.18
<u>5</u>	0.34	<u>14</u>	0.56
<u>6</u>	0.85	<u>15</u>	0.07
<u>7</u>	0.06	<u>16</u>	0.89
<u>8</u>	0.01	<u>17</u>	1.04
<u>9</u>	0	<u>18</u>	0.08
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.01
<u>12</u>	0	<u>21</u>	0.15
<u>13</u>	0	<u>22</u>	0.02
<u>14</u>	0	<u>23</u>	0.3
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0.01	<u>25</u>	0.05
<u>17</u>	0.01	<u>26</u>	0.97
<u>18</u>	0	<u>27</u>	0.01
<u>19</u>	0.41	<u>28</u>	0.06
<u>20</u>	0	<u>29</u>	0.26
<u>21</u>	0	<u>30</u>	0.02

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>31</u>	0.28	<u>7</u>	0
2009	Precip. (in)	<u>8</u>	0
Nov	sum	<u>9</u>	0
<u>1</u>	0.06	<u>10</u>	0
<u>2</u>	0.01	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0	<u>13</u>	0
<u>5</u>	0.07	<u>14</u>	0.43
<u>6</u>	0.13	<u>15</u>	0.3
<u>7</u>	1.01	<u>16</u>	0.46
<u>8</u>	0.59	<u>17</u>	0.01
<u>9</u>	0.26	<u>18</u>	0.03
<u>10</u>	0.35	<u>19</u>	0.28
<u>11</u>	0.03	<u>20</u>	0.14
<u>12</u>	0	<u>21</u>	0.45
<u>13</u>	0.33	<u>22</u>	0.11
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0.17	<u>24</u>	0
<u>16</u>	0.91	<u>25</u>	0
<u>17</u>	0.52	<u>26</u>	0
<u>18</u>	0.19	<u>27</u>	0
<u>19</u>	0.66	<u>28</u>	0
<u>20</u>	0.34	<u>29</u>	0.03
<u>21</u>	0.43	<u>30</u>	0
<u>22</u>	0.61	<u>31</u>	0.26
<u>23</u>	0.04	2010	Precip. (in)
<u>24</u>	0.06	Jan	sum
<u>25</u>	0.26	<u>1</u>	0.39
<u>26</u>	0.9	<u>2</u>	0.05
<u>27</u>	0	<u>3</u>	0.02
<u>28</u>	0	<u>4</u>	0.82
<u>29</u>	0	<u>5</u>	0.09
<u>30</u>	0	<u>6</u>	0
2009	Precip. (in)	<u>7</u>	0.03
Dec	sum	<u>8</u>	0.91
<u>1</u>	0	<u>9</u>	0.07
<u>2</u>	0	<u>10</u>	0.1
<u>3</u>	0	<u>11</u>	1.03
<u>4</u>	0.03	<u>12</u>	0.63
<u>5</u>	0	<u>13</u>	0.39
<u>6</u>	0	<u>14</u>	0.31

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>15</u>	0.52	<u>23</u>	0.14
<u>16</u>	0.02	<u>24</u>	0.11
<u>17</u>	0.12	<u>25</u>	0.06
<u>18</u>	0	<u>26</u>	0.49
<u>19</u>	0.02	<u>27</u>	0.09
<u>20</u>	0.01	<u>28</u>	0
<u>21</u>	0	2010	Precip. (in)
<u>22</u>	0	Mar	sum
<u>23</u>	0.01	<u>1</u>	0
<u>24</u>	0.35	<u>2</u>	0.06
<u>25</u>	0.12	<u>3</u>	0
<u>26</u>	0	<u>4</u>	0
<u>27</u>	0	<u>5</u>	0
<u>28</u>	0	<u>6</u>	0
<u>29</u>	0.02	<u>7</u>	0.05
<u>30</u>	0.2	<u>8</u>	0.04
<u>31</u>	0.06	<u>9</u>	0
2010	Precip. (in)	<u>10</u>	0.03
Feb	sum	<u>11</u>	0.49
<u>1</u>	0.06	<u>12</u>	0.57
<u>2</u>	0.02	<u>13</u>	0.01
<u>3</u>	0.27	<u>14</u>	0
<u>4</u>	0.08	<u>15</u>	0.01
<u>5</u>	0.08	<u>16</u>	0.06
<u>6</u>	0.24	<u>17</u>	0.01
<u>7</u>	0.09	<u>18</u>	0
<u>8</u>	0	<u>19</u>	0
<u>9</u>	0	<u>20</u>	0
<u>10</u>	0.08	<u>21</u>	0.03
<u>11</u>	0.23	<u>22</u>	0
<u>12</u>	0.43	<u>23</u>	0
<u>13</u>	0.23	<u>24</u>	0
<u>14</u>	0.66	<u>25</u>	0.43
<u>15</u>	0.04	<u>26</u>	0
<u>16</u>	0.19	<u>27</u>	0
<u>17</u>	0	<u>28</u>	0.65
<u>18</u>	0	<u>29</u>	0.83
<u>19</u>	0	<u>30</u>	0.08
<u>20</u>	0	<u>31</u>	0.01
<u>21</u>	0		
<u>22</u>	0		

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
2010	Precip. (in)	<u>8</u>	0
Apr	sum	<u>9</u>	0
<u>1</u>	0.08	<u>10</u>	0.16
<u>2</u>	0.68	<u>11</u>	0.01
<u>3</u>	0.17	<u>12</u>	0
<u>4</u>	0.08	<u>13</u>	0
<u>5</u>	0.14	<u>14</u>	0
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0.11	<u>16</u>	0
<u>8</u>	0.09	<u>17</u>	0.01
<u>9</u>	0.07	<u>18</u>	0.18
<u>10</u>	0	<u>19</u>	0.28
<u>11</u>	0	<u>20</u>	0.13
<u>12</u>	0	<u>21</u>	0.04
<u>13</u>	0.08	<u>22</u>	0.09
<u>14</u>	0	<u>23</u>	0.18
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0.01	<u>25</u>	0.07
<u>17</u>	0.18	<u>26</u>	0.28
<u>18</u>	0.01	<u>27</u>	0.04
<u>19</u>	0	<u>28</u>	0.3
<u>20</u>	0.01	<u>29</u>	0.04
<u>21</u>	0.65	<u>30</u>	0.08
<u>22</u>	0	<u>31</u>	0.22
<u>23</u>	0.11	2010	Precip. (in)
<u>24</u>	0.01	Jun	sum
<u>25</u>	0	<u>1</u>	0.07
<u>26</u>	0.29	<u>2</u>	0.21
<u>27</u>	0.29	<u>3</u>	0.01
<u>28</u>	0.26	<u>4</u>	0.29
<u>29</u>	0	<u>5</u>	0.04
<u>30</u>	0.03	<u>6</u>	0.26
2010	Precip. (in)	<u>7</u>	0.06
May	sum	<u>8</u>	0.23
<u>1</u>	0	<u>9</u>	0.22
<u>2</u>	0.08	<u>10</u>	0.08
<u>3</u>	0.09	<u>11</u>	0.01
<u>4</u>	0.44	<u>12</u>	0
<u>5</u>	0.2	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0.17

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>16</u>	0.22	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0.03	<u>28</u>	0
<u>20</u>	0.17	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0
<u>22</u>	0	<u>31</u>	0
<u>23</u>	0	2010	Precip. (in)
<u>24</u>	0	Aug	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0.04
<u>30</u>	0	<u>6</u>	0
2010	Precip. (in)	<u>7</u>	0.16
Jul	sum	<u>8</u>	0.01
<u>1</u>	0.02	<u>9</u>	0
<u>2</u>	0.17	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0.07	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0.01
<u>14</u>	0	<u>22</u>	0
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	<u>31</u>	0.37
<u>24</u>	0		

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
2010	Precip. (in)	<u>8</u>	0.08
Sep	sum	<u>9</u>	1.01
<u>1</u>	0	<u>10</u>	0.92
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0.02	<u>13</u>	0.01
<u>5</u>	0	<u>14</u>	0.13
<u>6</u>	0.12	<u>15</u>	0
<u>7</u>	0.01	<u>16</u>	0
<u>8</u>	0.25	<u>17</u>	0
<u>9</u>	0.02	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.01
<u>12</u>	0	<u>21</u>	0.01
<u>13</u>	0	<u>22</u>	0.13
<u>14</u>	0	<u>23</u>	0.45
<u>15</u>	0.21	<u>24</u>	0.68
<u>16</u>	0.44	<u>25</u>	0.41
<u>17</u>	0.7	<u>26</u>	0.17
<u>18</u>	0.91	<u>27</u>	0
<u>19</u>	0.63	<u>28</u>	0.09
<u>20</u>	0	<u>29</u>	0.03
<u>21</u>	0	<u>30</u>	0.41
<u>22</u>	0	<u>31</u>	0.06
<u>23</u>	0.2	2010	Precip. (in)
<u>24</u>	0.03	Nov	sum
<u>25</u>	0	<u>1</u>	1.35
<u>26</u>	0.27	<u>2</u>	0
<u>27</u>	0.04	<u>3</u>	0
<u>28</u>	0.01	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0.07
<u>30</u>	0	<u>6</u>	0.69
2010	Precip. (in)	<u>7</u>	0.03
Oct	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0.19
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0.08
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0.12
<u>6</u>	0.01	<u>14</u>	0.34
<u>7</u>	0	<u>15</u>	0.04

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>16</u>	0	<u>25</u>	0.28
<u>17</u>	0.12	<u>26</u>	0.24
<u>18</u>	0.14	<u>27</u>	0.46
<u>19</u>	0.08	<u>28</u>	0
<u>20</u>	0.01	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0
<u>22</u>	0.07	<u>31</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0	Jan	sum
<u>25</u>	0.01	<u>1</u>	0
<u>26</u>	0.39	<u>2</u>	0
<u>27</u>	0.01	<u>3</u>	0
<u>28</u>	0.05	<u>4</u>	0.03
<u>29</u>	0.09	<u>5</u>	0.11
<u>30</u>	0.69	<u>6</u>	0.28
2010	Precip. (in)	<u>7</u>	0.52
Dec	sum	<u>8</u>	0.01
<u>1</u>	0	<u>9</u>	0.03
<u>2</u>	0.01	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0.12
<u>4</u>	0	<u>12</u>	0.74
<u>5</u>	0	<u>13</u>	0.66
<u>6</u>	0	<u>14</u>	0.08
<u>7</u>	0.47	<u>15</u>	0.42
<u>8</u>	0.74	<u>16</u>	0.11
<u>9</u>	0.99	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.08
<u>11</u>	1.37	<u>19</u>	0
<u>12</u>	2.24	<u>20</u>	0.05
<u>13</u>	0.34	<u>21</u>	0.68
<u>14</u>	0.57	<u>22</u>	0
<u>15</u>	0.09	<u>23</u>	0.04
<u>16</u>	0.02	<u>24</u>	0.26
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0.13	<u>26</u>	0
<u>19</u>	0.14	<u>27</u>	0
<u>20</u>	0.07	<u>28</u>	0.07
<u>21</u>	0.04	<u>29</u>	0.26
<u>22</u>	0.02	<u>30</u>	0
<u>23</u>	0.43	<u>31</u>	0
<u>24</u>	0.44		

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
2011	Precip. (in)	<u>10</u>	0.41
Feb	sum	<u>11</u>	0
<u>1</u>	0	<u>12</u>	0.47
<u>2</u>	0	<u>13</u>	0.65
<u>3</u>	0.02	<u>14</u>	0.3
<u>4</u>	0.06	<u>15</u>	0.43
<u>5</u>	0.09	<u>16</u>	0.22
<u>6</u>	0.11	<u>17</u>	0
<u>7</u>	0.06	<u>18</u>	0.18
<u>8</u>	0.01	<u>19</u>	0
<u>9</u>	0	<u>20</u>	0.01
<u>10</u>	0	<u>21</u>	0.01
<u>11</u>	0	<u>22</u>	0
<u>12</u>	0.45	<u>23</u>	0
<u>13</u>	0.28	<u>24</u>	0.04
<u>14</u>	0.84	<u>25</u>	0.11
<u>15</u>	0.15	<u>26</u>	0.08
<u>16</u>	0.04	<u>27</u>	0.19
<u>17</u>	0.02	<u>28</u>	0.11
<u>18</u>	0	<u>29</u>	0.13
<u>19</u>	0	<u>30</u>	0.09
<u>20</u>	0	<u>31</u>	0.11
<u>21</u>	0.06	2011	Precip. (in)
<u>22</u>	0.2	Apr	sum
<u>23</u>	0.08	<u>1</u>	0.85
<u>24</u>	0.01	<u>2</u>	0.25
<u>25</u>	0	<u>3</u>	0.07
<u>26</u>	0	<u>4</u>	0.12
<u>27</u>	0.51	<u>5</u>	0.15
<u>28</u>	0.22	<u>6</u>	0.1
2011	Precip. (in)	<u>7</u>	0.09
Mar	sum	<u>8</u>	0
<u>1</u>	0.22	<u>9</u>	0
<u>2</u>	0.14	<u>10</u>	0.09
<u>3</u>	0.35	<u>11</u>	0.04
<u>4</u>	0.12	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0.07
<u>6</u>	0	<u>14</u>	0.39
<u>7</u>	0	<u>15</u>	0.02
<u>8</u>	0.1	<u>16</u>	0.15
<u>9</u>	1.47	<u>17</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>18</u>	0.02	<u>27</u>	0.09
<u>19</u>	0	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0.04	<u>30</u>	0
<u>22</u>	0	<u>31</u>	0.06
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0.05	Jun	sum
<u>25</u>	0.45	<u>1</u>	0.24
<u>26</u>	0.03	<u>2</u>	0.25
<u>27</u>	0.44	<u>3</u>	0
<u>28</u>	0.04	<u>4</u>	0
<u>29</u>	0.04	<u>5</u>	0
<u>30</u>	0.17	<u>6</u>	0
2011	Precip. (in)	<u>7</u>	0.1
May	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0.22	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0.04	<u>13</u>	0.03
<u>6</u>	0.12	<u>14</u>	0
<u>7</u>	0.04	<u>15</u>	0.11
<u>8</u>	0.17	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.3
<u>11</u>	0.51	<u>19</u>	0.03
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0.52	<u>22</u>	0
<u>15</u>	0.69	<u>23</u>	0.01
<u>16</u>	0	<u>24</u>	0.12
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0.1	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0	Jul	sum
<u>25</u>	0.24	<u>1</u>	0
<u>26</u>	0.04	<u>2</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0.01	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0.09	<u>20</u>	0
<u>13</u>	0.01	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0.08
<u>15</u>	0.04	<u>23</u>	0
<u>16</u>	0.33	<u>24</u>	0
<u>17</u>	0.06	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	<u>31</u>	0
<u>24</u>	0	2011	Precip. (in)
<u>25</u>	0.27	Sep	sum
<u>26</u>	0	<u>1</u>	0
<u>27</u>	0	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0
<u>29</u>	0	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0
<u>31</u>	0	<u>6</u>	0
2011	Precip. (in)	<u>7</u>	0
Aug	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0.21
<u>10</u>	0	<u>18</u>	0.13

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>19</u>	0.06	<u>28</u>	0.38
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0.14
<u>22</u>	0	<u>31</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0	Nov	sum
<u>25</u>	0.22	<u>1</u>	0
<u>26</u>	0.32	<u>2</u>	0.42
<u>27</u>	0.04	<u>3</u>	0
<u>28</u>	0.01	<u>4</u>	0.06
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0.02	<u>6</u>	0
2011	Precip. (in)	<u>7</u>	0.01
Oct	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0.14	<u>10</u>	0
<u>3</u>	0.09	<u>11</u>	0.3
<u>4</u>	0.02	<u>12</u>	0.15
<u>5</u>	0.1	<u>13</u>	0.09
<u>6</u>	0.19	<u>14</u>	0
<u>7</u>	0.05	<u>15</u>	0
<u>8</u>	0.01	<u>16</u>	0.38
<u>9</u>	0.06	<u>17</u>	0.1
<u>10</u>	0.18	<u>18</u>	0.01
<u>11</u>	0.57	<u>19</u>	0
<u>12</u>	0.01	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0.42
<u>14</u>	0.01	<u>22</u>	1.58
<u>15</u>	0	<u>23</u>	1
<u>16</u>	0	<u>24</u>	0.35
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0.03
<u>19</u>	0	<u>27</u>	0.33
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0.03	<u>29</u>	0.05
<u>22</u>	0.28	<u>30</u>	0
<u>23</u>	0	2011	Precip. (in)
<u>24</u>	0.02	Dec	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0.01	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0.13
<u>7</u>	0	<u>15</u>	0.23
<u>8</u>	0	<u>16</u>	0.07
<u>9</u>	0	<u>17</u>	0.09
<u>10</u>	0.01	<u>18</u>	0.44
<u>11</u>	0.05	<u>19</u>	0.32
<u>12</u>	0	<u>20</u>	0.39
<u>13</u>	0	<u>21</u>	0.06
<u>14</u>	0.01	<u>22</u>	0.29
<u>15</u>	0.03	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0.24
<u>17</u>	0	<u>25</u>	0.4
<u>18</u>	0.08	<u>26</u>	0.31
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0.67
<u>22</u>	0	<u>30</u>	0.11
<u>23</u>	0.01	<u>31</u>	0.04
<u>24</u>	0.01	2012	Precip. (in)
<u>25</u>	0.04	Feb	sum
<u>26</u>	0.03	<u>1</u>	0.45
<u>27</u>	0.03	<u>2</u>	0
<u>28</u>	0.47	<u>3</u>	0
<u>29</u>	0.21	<u>4</u>	0
<u>30</u>	0.02	<u>5</u>	0
<u>31</u>	0	<u>6</u>	0
2012	Precip. (in)	<u>7</u>	0
Jan	sum	<u>8</u>	0.1
<u>1</u>	0	<u>9</u>	0.11
<u>2</u>	0.48	<u>10</u>	0.09
<u>3</u>	0.03	<u>11</u>	0
<u>4</u>	0.65	<u>12</u>	0.04
<u>5</u>	0.08	<u>13</u>	0.44
<u>6</u>	0.04	<u>14</u>	0.04
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0.04
<u>9</u>	0.17	<u>17</u>	0.4
<u>10</u>	0.06	<u>18</u>	0.18
<u>11</u>	0	<u>19</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>20</u>	0	<u>30</u>	0.08
<u>21</u>	0	<u>31</u>	0
<u>22</u>	0.22	2012	Precip. (in)
<u>23</u>	0	Apr	sum
<u>24</u>	0.49	<u>1</u>	0
<u>25</u>	0.01	<u>2</u>	0
<u>26</u>	0	<u>3</u>	0
<u>27</u>	0	<u>4</u>	0
<u>28</u>	0.18	<u>5</u>	0
<u>29</u>	0.08	<u>6</u>	0
2012	Precip. (in)	<u>7</u>	0
Mar	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0.04	<u>10</u>	0
<u>3</u>	0	<u>11</u>	0.08
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0.36	<u>13</u>	0
<u>6</u>	0.05	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0.24
<u>9</u>	0.17	<u>17</u>	0.07
<u>10</u>	0.46	<u>18</u>	0.09
<u>11</u>	0.31	<u>19</u>	0.28
<u>12</u>	0.66	<u>20</u>	0.26
<u>13</u>	0.23	<u>21</u>	0
<u>14</u>	0.44	<u>22</u>	0
<u>15</u>	1.07	<u>23</u>	0
<u>16</u>	0.19	<u>24</u>	0.03
<u>17</u>	0.44	<u>25</u>	0.41
<u>18</u>	0.08	<u>26</u>	0.16
<u>19</u>	0.03	<u>27</u>	0.01
<u>20</u>	0.12	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0.08
<u>22</u>	0.16	<u>30</u>	0.26
<u>23</u>	0	2012	Precip. (in)
<u>24</u>	0	May	sum
<u>25</u>	0	<u>1</u>	0.05
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0.21	<u>3</u>	0.78
<u>28</u>	0.15	<u>4</u>	0.32
<u>29</u>	1.15	<u>5</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0.01	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.21
<u>11</u>	0	<u>19</u>	0.03
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0.31
<u>15</u>	0	<u>23</u>	0.6
<u>16</u>	0	<u>24</u>	0.01
<u>17</u>	0.47	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0.16	<u>28</u>	0
<u>21</u>	0.41	<u>29</u>	0
<u>22</u>	0.12	<u>30</u>	0
<u>23</u>	0.02	2012	Precip. (in)
<u>24</u>	0.01	Jul	sum
<u>25</u>	0.05	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0.02	<u>6</u>	0
<u>31</u>	0.15	<u>7</u>	0
2012	Precip. (in)	<u>8</u>	0
Jun	sum	<u>9</u>	0
<u>1</u>	0.1	<u>10</u>	0
<u>2</u>	0.02	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0.03	<u>13</u>	0
<u>5</u>	0.49	<u>14</u>	0
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0.54	<u>16</u>	0
<u>8</u>	0.05	<u>17</u>	0
<u>9</u>	0.02	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.61
<u>12</u>	0.03	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>23</u>	0	<u>31</u>	0
<u>24</u>	0	2012	Precip. (in)
<u>25</u>	0	Sep	sum
<u>26</u>	0	<u>1</u>	0
<u>27</u>	0	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0
<u>29</u>	0	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0
<u>31</u>	0	<u>6</u>	0
2012	Precip. (in)	<u>7</u>	0
Aug	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0.02
<u>3</u>	0	<u>11</u>	0
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0
<u>9</u>	0	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0.02
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	<u>29</u>	0
<u>22</u>	0	<u>30</u>	0
<u>23</u>	0	2012	Precip. (in)
<u>24</u>	0	Oct	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0	<u>16</u>	0.25
<u>9</u>	0	<u>17</u>	0.2
<u>10</u>	0	<u>18</u>	0.63
<u>11</u>	0	<u>19</u>	2.49
<u>12</u>	0.09	<u>20</u>	0.22
<u>13</u>	0.09	<u>21</u>	0.52
<u>14</u>	0.52	<u>22</u>	0.02
<u>15</u>	0.22	<u>23</u>	0.95
<u>16</u>	0	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0.64	<u>26</u>	0
<u>19</u>	0.1	<u>27</u>	0
<u>20</u>	0.18	<u>28</u>	0.12
<u>21</u>	0.14	<u>29</u>	0.11
<u>22</u>	0.26	<u>30</u>	1.51
<u>23</u>	0	2012	Precip. (in)
<u>24</u>	0.19	Dec	sum
<u>25</u>	0	<u>1</u>	0.28
<u>26</u>	0.06	<u>2</u>	1
<u>27</u>	0.75	<u>3</u>	0.41
<u>28</u>	0.26	<u>4</u>	0.46
<u>29</u>	0.57	<u>5</u>	0.02
<u>30</u>	1.2	<u>6</u>	0.07
<u>31</u>	0.64	<u>7</u>	0.14
2012	Precip. (in)	<u>8</u>	0
Nov	sum	<u>9</u>	0.06
<u>1</u>	0.34	<u>10</u>	0
<u>2</u>	0.19	<u>11</u>	0.1
<u>3</u>	0.02	<u>12</u>	0.28
<u>4</u>	0.17	<u>13</u>	0.08
<u>5</u>	0.05	<u>14</u>	0.25
<u>6</u>	0.01	<u>15</u>	0.24
<u>7</u>	0	<u>16</u>	0.92
<u>8</u>	0	<u>17</u>	0.11
<u>9</u>	0	<u>18</u>	0.05
<u>10</u>	0	<u>19</u>	0.99
<u>11</u>	0.55	<u>20</u>	0.64
<u>12</u>	0.13	<u>21</u>	0.07
<u>13</u>	0.19	<u>22</u>	0.12
<u>14</u>	0	<u>23</u>	0.39

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>24</u>	0.08	2013	Precip. (in)
<u>25</u>	0.41	Feb	sum
<u>26</u>	0.25	<u>1</u>	0
<u>27</u>	0.27	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0.08
<u>29</u>	0.06	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0.18
<u>31</u>	0	<u>6</u>	0.08
2013	Precip. (in)	<u>7</u>	0.09
Jan	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0.01
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0.18	<u>11</u>	0.01
<u>4</u>	0.07	<u>12</u>	0
<u>5</u>	0.1	<u>13</u>	0
<u>6</u>	0.03	<u>14</u>	0.03
<u>7</u>	0.02	<u>15</u>	0
<u>8</u>	0.53	<u>16</u>	0
<u>9</u>	1.15	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0.07
<u>13</u>	0	<u>21</u>	0.01
<u>14</u>	0	<u>22</u>	0.34
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0	<u>24</u>	0.02
<u>17</u>	0	<u>25</u>	0.14
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0	<u>27</u>	0.32
<u>20</u>	0	<u>28</u>	0.25
<u>21</u>	0	2013	Precip. (in)
<u>22</u>	0	Mar	sum
<u>23</u>	0.21	<u>1</u>	0.04
<u>24</u>	0.16	<u>2</u>	0.21
<u>25</u>	0.09	<u>3</u>	0
<u>26</u>	0.16	<u>4</u>	0
<u>27</u>	0.01	<u>5</u>	0
<u>28</u>	0.21	<u>6</u>	0.61
<u>29</u>	0.29	<u>7</u>	0.26
<u>30</u>	0.06	<u>8</u>	0
<u>31</u>	0.08	<u>9</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>10</u>	0.01	<u>18</u>	0.18
<u>11</u>	0.03	<u>19</u>	0.67
<u>12</u>	0.01	<u>20</u>	0.01
<u>13</u>	0.15	<u>21</u>	0.03
<u>14</u>	0.05	<u>22</u>	0
<u>15</u>	0	<u>23</u>	0
<u>16</u>	0.04	<u>24</u>	0
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0.37	<u>27</u>	0
<u>20</u>	0.72	<u>28</u>	0.08
<u>21</u>	0.1	<u>29</u>	0.15
<u>22</u>	0.01	<u>30</u>	0
<u>23</u>	0	2013	Precip. (in)
<u>24</u>	0	May	sum
<u>25</u>	0	<u>1</u>	0
<u>26</u>	0	<u>2</u>	0
<u>27</u>	0.01	<u>3</u>	0
<u>28</u>	0.06	<u>4</u>	0
<u>29</u>	0.01	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2013	Precip. (in)	<u>8</u>	0
Apr	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0.08
<u>4</u>	0.41	<u>13</u>	0.11
<u>5</u>	0.44	<u>14</u>	0
<u>6</u>	0.44	<u>15</u>	0.03
<u>7</u>	0.96	<u>16</u>	0
<u>8</u>	0.04	<u>17</u>	0.02
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0.15	<u>19</u>	0
<u>11</u>	0.09	<u>20</u>	0
<u>12</u>	0.18	<u>21</u>	0.39
<u>13</u>	0.31	<u>22</u>	0.21
<u>14</u>	0.06	<u>23</u>	0.08
<u>15</u>	0	<u>24</u>	0.02
<u>16</u>	0.07	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0.08

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>27</u>	0.2	<u>3</u>	0
<u>28</u>	0.01	<u>4</u>	0
<u>29</u>	0.17	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
<u>31</u>	0	<u>7</u>	0
2013	Precip. (in)	<u>8</u>	0
Jun	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0	<u>11</u>	0
<u>3</u>	0	<u>12</u>	0
<u>4</u>	0	<u>13</u>	0
<u>5</u>	0	<u>14</u>	0
<u>6</u>	0	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0
<u>12</u>	0	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0
<u>15</u>	0	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0
<u>18</u>	0	<u>27</u>	0
<u>19</u>	0	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0.01	<u>30</u>	0
<u>22</u>	0	<u>31</u>	0
<u>23</u>	0	2013	Precip. (in)
<u>24</u>	0.01	Aug	sum
<u>25</u>	0.01	<u>1</u>	0
<u>26</u>	0.56	<u>2</u>	0
<u>27</u>	0.13	<u>3</u>	0
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0
2013	Precip. (in)	<u>7</u>	0
Jul	sum	<u>8</u>	0
<u>1</u>	0	<u>9</u>	0
<u>2</u>	0	<u>10</u>	0

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0.15
<u>13</u>	0	<u>21</u>	0.01
<u>14</u>	0	<u>22</u>	0.37
<u>15</u>	0	<u>23</u>	0.08
<u>16</u>	0	<u>24</u>	0.01
<u>17</u>	0	<u>25</u>	0.04
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0	<u>27</u>	0.05
<u>20</u>	0	<u>28</u>	1.21
<u>21</u>	0	<u>29</u>	0.62
<u>22</u>	0	<u>30</u>	0.63
<u>23</u>	0	2013	Precip. (in)
<u>24</u>	0	Oct	sum
<u>25</u>	0	<u>1</u>	0.08
<u>26</u>	0	<u>2</u>	0.19
<u>27</u>	0	<u>3</u>	0.02
<u>28</u>	0	<u>4</u>	0.01
<u>29</u>	0.38	<u>5</u>	0
<u>30</u>	0	<u>6</u>	0.04
<u>31</u>	0	<u>7</u>	0.1
2013	Precip. (in)	<u>8</u>	0.39
Sep	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0.03
<u>2</u>	0	<u>11</u>	0.53
<u>3</u>	0.12	<u>12</u>	0.06
<u>4</u>	0	<u>13</u>	0
<u>5</u>	0.46	<u>14</u>	0.01
<u>6</u>	1.08	<u>15</u>	0
<u>7</u>	0	<u>16</u>	0
<u>8</u>	0.01	<u>17</u>	0.01
<u>9</u>	0	<u>18</u>	0
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0
<u>12</u>	0	<u>21</u>	0
<u>13</u>	0	<u>22</u>	0
<u>14</u>	0	<u>23</u>	0.01
<u>15</u>	0.21	<u>24</u>	0.01
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0	<u>26</u>	0.01
<u>18</u>	0	<u>27</u>	0.06

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0	<u>5</u>	0
<u>30</u>	0.01	<u>6</u>	0
<u>31</u>	0.01	<u>7</u>	0
2013	Precip. (in)	<u>8</u>	0
Nov	sum	<u>9</u>	0
<u>1</u>	0	<u>10</u>	0
<u>2</u>	0.38	<u>11</u>	0
<u>3</u>	0.02	<u>12</u>	0.22
<u>4</u>	0.01	<u>13</u>	0.01
<u>5</u>	0.05	<u>14</u>	0
<u>6</u>	0.09	<u>15</u>	0.03
<u>7</u>	0.94	<u>16</u>	0
<u>8</u>	0	<u>17</u>	0
<u>9</u>	0.09	<u>18</u>	0.04
<u>10</u>	0	<u>19</u>	0
<u>11</u>	0	<u>20</u>	0.1
<u>12</u>	0.14	<u>21</u>	0.22
<u>13</u>	0	<u>22</u>	0.21
<u>14</u>	0.01	<u>23</u>	0.01
<u>15</u>	0.08	<u>24</u>	0
<u>16</u>	0	<u>25</u>	0
<u>17</u>	0.05	<u>26</u>	0
<u>18</u>	0.8	<u>27</u>	0.03
<u>19</u>	0.11	<u>28</u>	0
<u>20</u>	0	<u>29</u>	0
<u>21</u>	0	<u>30</u>	0.02
<u>22</u>	0	<u>31</u>	0.01
<u>23</u>	0.08	2014	Precip. (in)
<u>24</u>	0	Jan	sum
<u>25</u>	0	<u>1</u>	0.01
<u>26</u>	0	<u>2</u>	0.53
<u>27</u>	0	<u>3</u>	0.03
<u>28</u>	0	<u>4</u>	0
<u>29</u>	0.01	<u>5</u>	0
<u>30</u>	0.06	<u>6</u>	0
2013	Precip. (in)	<u>7</u>	0.34
Dec	sum	<u>8</u>	0.44
<u>1</u>	0.03	<u>9</u>	0.09
<u>2</u>	0.11	<u>10</u>	0.15
<u>3</u>	0.01	<u>11</u>	0.91

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>12</u>	0.02	<u>20</u>	0.03
<u>13</u>	0.01	<u>21</u>	0.23
<u>14</u>	0	<u>22</u>	0.09
<u>15</u>	0	<u>23</u>	0.18
<u>16</u>	0	<u>24</u>	0.39
<u>17</u>	0	<u>25</u>	0
<u>18</u>	0	<u>26</u>	0
<u>19</u>	0	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0
<u>21</u>	0	2014	Precip. (in)
<u>22</u>	0	Mar	sum
<u>23</u>	0	<u>1</u>	0.01
<u>24</u>	0	<u>2</u>	0.7
<u>25</u>	0	<u>3</u>	0.37
<u>26</u>	0	<u>4</u>	0.41
<u>27</u>	0	<u>5</u>	1.44
<u>28</u>	0.35	<u>6</u>	0.21
<u>29</u>	0.77	<u>7</u>	0
<u>30</u>	0.01	<u>8</u>	1.12
<u>31</u>	0.03	<u>9</u>	0.26
2014	Precip. (in)	<u>10</u>	0.44
Feb	sum	<u>11</u>	0
<u>1</u>	0.02	<u>12</u>	0
<u>2</u>	0	<u>13</u>	0
<u>3</u>	0	<u>14</u>	0.11
<u>4</u>	0	<u>15</u>	0.2
<u>5</u>	0	<u>16</u>	1.09
<u>6</u>	0	<u>17</u>	0.01
<u>7</u>	0	<u>18</u>	0.01
<u>8</u>	0.09	<u>19</u>	0
<u>9</u>	0.01	<u>20</u>	0
<u>10</u>	0.54	<u>21</u>	0
<u>11</u>	0.75	<u>22</u>	0
<u>12</u>	0.14	<u>23</u>	0
<u>13</u>	0	<u>24</u>	0
<u>14</u>	0.41	<u>25</u>	0.22
<u>15</u>	0.51	<u>26</u>	0.06
<u>16</u>	1.41	<u>27</u>	0.03
<u>17</u>	0.44	<u>28</u>	0.51
<u>18</u>	0.62	<u>29</u>	0.63
<u>19</u>	0.02	<u>30</u>	0.02

<u>Date</u>	<u>Precipitation (inches)</u>	<u>Date</u>	<u>Precipitation (inches)</u>
<u>31</u>	0	<u>6</u>	0
2014	Precip. (in)	<u>7</u>	0
Apr	sum	<u>8</u>	0.32
<u>1</u>	0	<u>9</u>	0.07
<u>2</u>	0	<u>10</u>	0
<u>3</u>	0.11	<u>11</u>	0.01
<u>4</u>	0	<u>12</u>	0
<u>5</u>	0.08	<u>13</u>	0
<u>6</u>	0	<u>14</u>	0
<u>7</u>	0	<u>15</u>	0
<u>8</u>	0.37	<u>16</u>	0
<u>9</u>	0.01	<u>17</u>	0
<u>10</u>	0	<u>18</u>	0.04
<u>11</u>	0	<u>19</u>	0
<u>12</u>	0	<u>20</u>	0
<u>13</u>	0	<u>21</u>	0
<u>14</u>	0	<u>22</u>	0
<u>15</u>	0.01	<u>23</u>	0.16
<u>16</u>	0.41	<u>24</u>	0
<u>17</u>	0.7	<u>25</u>	0.27
<u>18</u>	0	<u>26</u>	0.01
<u>19</u>	0.36	<u>27</u>	0
<u>20</u>	0	<u>28</u>	0.03
<u>21</u>	0.14	<u>29</u>	0
<u>22</u>	0.53	<u>30</u>	0
<u>23</u>	0.22	<u>31</u>	0
<u>24</u>	0.3	2014	Precip. (in)
<u>25</u>	0.05	Jun	sum
<u>26</u>	0.18	<u>1</u>	0
<u>27</u>	0	<u>2</u>	0
<u>28</u>	0	<u>3</u>	0
<u>29</u>	0	<u>4</u>	0
<u>30</u>	0	<u>5</u>	0
2014	Precip. (in)	<u>6</u>	0
May	sum	<u>7</u>	0
<u>1</u>	0	<u>8</u>	0
<u>2</u>	0	<u>9</u>	0
<u>3</u>	1.19	<u>10</u>	0
<u>4</u>	0.26	<u>11</u>	0
<u>5</u>	0.24	<u>12</u>	0